

Final Adopted by City Council on October 1, 2018 by Resolution No. 2018-67

City of Del Mar Sea-Level Rise Adaptation Plan

Del Mar, California

Prepared for
City of Del Mar

August 2016 – updated May 2018



Source: Robin Crabtree, March 8, 2016

City of Del Mar Sea-Level Rise Adaptation Plan

Del Mar, California

Prepared for
City of Del Mar

August 2016 – updated May 2018

550 West C Street
Suite 750
San Diego, CA 92101

www.esassoc.com



Bend	Oakland	San Francisco
Camarillo	Orlando	Santa Monica
Delray Beach	Pasadena	Sarasota
Destin	Petaluma	Seattle
Irvine	Portland	Sunrise
Los Angeles	Sacramento	
Miami	San Diego	

OUR COMMITMENT TO SUSTAINABILITY | ESA helps a variety of public and private sector clients plan and prepare for climate change and emerging regulations that limit GHG emissions. ESA is a registered assessor with the California Climate Action Registry, a Climate Leader, and founding reporter for the Climate Registry. ESA is also a corporate member of the U.S. Green Building Council and the Business Council on Climate Change (BC3). Internally, ESA has adopted a Sustainability Vision and Policy Statement and a plan to reduce waste and energy within our operations. This document was produced using recycled paper.

TABLE OF CONTENTS

City of Del Mar Sea-Level Rise Adaptation Plan

	<u>Page</u>
	<u>Page</u>
EXECUTIVE SUMMARY	ES-1
Del Mar's Overall Goals.....	ES-2
General Adaptation Approaches.....	ES-2
Del Mar's Favored Adaptation Approach	ES-3
CHAPTER 1" Planning for Sea-Level Rise in Del Mar	1
1.1 About the City of Del Mar	1
1.2 Planning Process and Goals	1
1.3 Amending Del Mar's Local Coastal Program	3
1.4 Del Mar's Sea-Level Rise Stakeholder Technical Advisory Committee (STAC) ...	6
1.5 Purpose of the Adaptation Plan	6
1.6 Summary of the Adaptation Plan	7
CHAPTER 2: Relevant Plans and Guidelines	10
2.1 California Coastal Act.....	10
2.2 Del Mar Community Plan.....	10
2.3 Del Mar Local Coastal Program.....	12
2.4 Del Mar Climate Action Plan.....	13
2.5 CCC Sea-Level Rise Policy Guidance	14
CHAPTER 3: About this Adaptation Plan	15
3.1 Adaptation Plan Overview and Process.....	15
3.2 Risk Management	16
3.3 Monitoring Change.....	18
3.4 Analysis of Adaptation Options.....	20
3.5 Project-Level Planning and Lead Times	23
3.6 Del Mar's Favored Adaptation Approach	23
3.7 Reevaluation	24
CHAPTER 4: High Priority Measures for Public Resources	25
CHAPTER 5: San Dieguito Lagoon Wetland Adaptation	28
5.1 Adaptation Options.....	29
5.2 Wetland Adaptation Monitoring.....	32
5.3 Wetland Adaptation Coastal Permitting	32

	<u>Page</u>
CHAPTER 6: San Dieguito River Flooding Adaptation	33
6.1 Adaptation Options.....	34
6.2 River Adaptation Monitoring	38
6.3 River Adaptation Coastal Permitting	39
CHAPTER 7: Bluff and Adjacent Beach Erosion Adaptation	40
7.1 Bluff Adaptation Options.....	41
7.2 Bluff Adaptation Monitoring	43
7.3 Bluff Adaptation Coastal Permitting	45
CHAPTER 8: Beach Erosion and Flooding Adaptation	46
8.1 Beach Adaptation Options.....	47
8.2 Beach Adaptation Monitoring.....	52
8.3 Beach Adaptation Coastal Permitting	53

Appendices

A. Carbon Sequestration in Wetlands.....	A-1
B. STAC's Analysis	B-1
C. STAC's Managed Retreat Memo	C-1

List of Figures

Figure 1.1 Del Mar Map.....	2
Figure 1.2 Railway on Top of Bluff	5
Figure 3.1 Process to Evaluate, Select and Plan Adaptation Options	16
Figure 3.2 Concept of Adaptation to Manage Del Mar's Risks with Increasing Sea Level Rise	18
Figure 3.3 Sea-Level Rise Trend at La Jolla Tide Gage.....	19
Figure 3.4 City Districts in Del Mar	22
Figure 4.1 High Priority Infrastructure	25
Figure 5.1 Sediment Placement on the Marsh at Seal Beach	30
Figure 6.1 Example to illustrate Living Levee along the San Dieguito River	36
Figure 6.2 Living Levee Cross Section	36
Figure 7.1 Bluff Collapse near 10th St. in Del Mar on July 13, 2016.....	44
Figure 8.1 Overtopping in Del Mar on March 8, 2016.....	49
Figure 8.2 Coastal Damage Following 1983 Storm	50

Page**List of Tables**

table 1.1 Sea-Level Rise Scenarios Used in this Study	3
Table 3.1 Summary of North Beach Asset Vulnerability to Flooding and Damage	17
Table 5.1 Wetland Conversion and Transgression Benefits and Constraints Summary	29
Table 5.2 Sediment Placement Benefits and Constraints Summary.....	31
Table 5.3 Wetland Expansion/Restoration Benefits and Constraints Summary.....	31
Table 5.4 Possible Lead Times for Planning Wetland Adaptation Options	32
Table 6.1 Projected River Flood Risk with Sea-Level Rise	38
Table 6.2 Possible Lead Times for Planning River Flooding Adaptation Options	38
Table 7.1 Bluff Beach Nourishment and Retention Benefits and Constraints Summary	41
Table 7.2 Projected Distances from Bluff Top to Railroad, Sewer Line, 1st And 4 th Rowsof Buildings with Sea-Level Rise (for areas with sewer between buildings).....	45
Table 7.4 Possible Lead Times for Planning Bluff Erosion Adaptation Options	45
Table 8.1 Beach and Dune Nourishment Benefits and Constraints Summary.....	47
Table 8.2 Sand Retention Measures, Benefits, and Constraints Summary.....	48
Table 8.3 Raise/Improve Sea Walls and Revetments Benefits and Constraints Summary.....	50
Table 8.4 Raising Structures Benefits and Constraints Summary	51
Table 8.5 Projected Beach Width with Increasing Chance of Extreme Flooding/Damage.....	52
Table 8.6 Possible Lead Times for Planning Beach Erosion Adaptation Options	53

DEFINITIONS

Adaptation: anticipating the adverse effects of climate change and taking appropriate action to reduce the vulnerabilities and potential impacts, including fiscal impacts. (Fiscal impacts in this context includes tax revenue impacts and any operational, repair, or maintenance costs to the City.)

Coastal Erosion: erosion of the coast caused by waves and other processes.

Coastal Flooding: flooding along the coast caused during a large storm wave event and typically including wave runup with momentum that can cause damage.

Tidal Inundation: flooding caused during predictable high tides that occur with some regularity.

EXECUTIVE SUMMARY

The Del Mar Adaptation Plan will serve as the City’s “toolbox” to help property owners (public and private) plan for and address future sea-level rise, storm surge, coastal flooding, and erosion. In 2016, the City of Del Mar prepared a Coastal Hazards, Vulnerability, and Risk Assessment that identified the degree of vulnerability posed to City beaches, lagoons, coastal bluffs, visitor-serving amenities, public access areas, residential and commercial areas, and public infrastructure. In consideration of the vulnerabilities and risks, the Adaptation Plan provides tools for owners and the City to manage risks and take actions based on measurable changes in conditions.

This Adaptation Plan delves into the City’s vulnerabilities and adaptation strategies in detail with Chapters that address specific types of vulnerabilities and specific vulnerable areas as follows:

Chapter 4: Vulnerable City assets and public resources throughout the City

Chapter 5: San Dieguito Lagoon wetlands (River Valley and Del Mar Fairgrounds)

Chapter 6: San Dieguito River flooding (North Beach, River Valley, and Del Mar Fairgrounds)

Chapter 7: Erosion of bluffs and adjacent beaches (South Bluffs, Powerhouse Park, and North Bluffs)

Chapter 8: Erosion and flooding for North Beach (15th Street north to the San Dieguito Lagoon mouth)

It is likely the reader will come away recognizing, as Del Mar has, that the potential for sea-level rise brings significant challenges and unknowns, but that the overall adaptation strategy adopted by Del Mar is the most feasible option available with the highest potential to achieve public and private goals with the least harm. The City recognizes that circumstances may change in the future, that the future is uncertain, that new strategies or problems not known today may arise, and that re-evaluation of the City’s strategy may need to occur as time passes. The Adaptation Plan therefore is more specific about the first half of this century while leaving flexibility for the latter half when hazards will be better defined, as will be the efficacy of the range of potential adaptation measures applied to Del Mar.

Del Mar's Overall Goals

Del Mar has considered all options and strategies to achieve:

Compliance with the Coastal Act goals as set forth in Public Resources Code §30001.5 (see Adaptation Plan Chapter 2), including but not limited to:

- Maintaining a public beach that is walkable and capable of supporting public recreation
- Maintaining maximum public access to the beach
- Favoring natural and “green” environmentally beneficial strategies
- Protecting the Lagoons and other natural resource areas

Compliance with Del Mar's Community Plan and Certified Local Coastal Program (LCP) as set forth in Adaptation Plan Chapter 2, including continued:

- Implementation of the City's Beach Protection Initiative (BPI) as certified in the City's LCP;
- Protection of private property from sea-level rise and related ocean, wave, and flooding risks;
- Protection of public infrastructure and property from sea-level rise and related ocean, wave, and flooding risks;
- Use of overlay zones in hazard areas as a means for disclosure and internalization of risks by property owners; and
- Successful City implementation of Coastal Development Permit issuance.

The following principles were therefore established to provide guidance for developing, evaluating, and analyzing adaptation measures:

Limit the risk of extreme coastal and river flooding and damage to protect vital infrastructure and structures in the low-lying areas of the City.

Maintain a walkable beach for recreational use, economic benefit, and to reduce flooding.

Maintain the extensive existing system of horizontal and vertical access points to the Del Mar Beach and the San Dieguito River and Lagoon.

Maintain continuous coastal access from North Beach to South Beach.

Maintain San Dieguito Lagoon wetland habitat functions.

General Adaptation Approaches

Adaptation measures are typically categorized within the following categories:

Protection strategies, which employ some sort of engineered structure or other measure to defend development (or resources) in its current location without changes to the development itself. Examples include shoreline protective devices such as seawalls, revetments, groins, and breakwaters that defend against coastal hazards like wave impacts, erosion, and flooding;

natural or “green” methods like beach nourishment and artificial dunes to buffer coastal areas; and hybrid approaches using both artificial and natural infrastructure.

Accommodation strategies, which modify existing development or design new development in a way that decreases hazard risks and increases the resiliency of development. Examples include elevating and/or retrofitting structures and using materials that increase the strength of development. In Del Mar, this could include raising the existing seawall height as needed to accommodate changes in the elevation of the beach profile.

Retreat strategies, which relocate existing development, as necessary, out of hazard areas, and limit the construction of new development in vulnerable areas (typically through the use of minimum setback requirements). As part of future plan review and plan amendment, relocation will only be considered if necessary and feasible.

Different types of strategies will be appropriate in different locations, and in some cases a hybrid approach with strategies from multiple categories may be the best option. Additionally, the suite of strategies chosen may need to change over time as conditions change and previous areas of uncertainty and unknown variables become more certain.

Del Mar’s Favored Adaptation Approach

Del Mar’s approach to adaptation is comprised of many subcomponents all designed to work together. Del Mar’s commitment is, for the long term, to maintain a popular public beach (currently accommodating over 2 million visitors per year supported by a resident population in Del Mar of 4,200), hosting one of the very few off-leash dog beaches in the County, offering public access at every street end, at the river mouth, and at Powerhouse Park, and offering a variety of recreational experiences ranging from surfing and swimming to volleyball, fishing, and other recreational activities.

At this time, the City’s favored approach is to pursue a combination of beach nourishment, sand retention/management, and flood management projects to maintain the existing high quality public beach and public access in Del Mar as the primary means of addressing sea-level rise, with due consideration to the following:

- Shoreline protection consistent with the BPI;

- The specific needs of public facilities and infrastructure such as roads, sewers, and utilities;

- The unique needs of the north and south bluff areas;

- Public beach access at the many street ends, at North Beach, and at Powerhouse Park, to ensure long-term public access; and

- The unique topography of Del Mar with its “front row” of beach homes located at a higher elevation than the properties, public and private, to the east.

After considering all of the options, the City determined that the best strategies for achieving these long-term goals consists of the following:

- Proactive implementation of programs, including sand replenishment and management, to maintain a publicly usable beach that will also serve as a protective buffer for abutting private and public property, while enhancing maximum public access;

Utilization of additional programs to protect the low-lying properties, public and private, behind the first row of houses on the beach from ocean and river flooding through maintenance of a public beach, dredging of the river channel as needed, and other strategies (e.g. storm drain modifications and/or a new living levee) to reduce the risk to these low-lying areas;

Continued application of minimum setbacks to property that is subject to flooding and bluff erosion hazards; and

A decision to not select planned retreat as a strategy for Del Mar because it is not feasible and not as effective as the favored strategies, which are feasible to achieve the Coastal Act and City goals.

Del Mar's strategy is based on sound scientific and engineering principles, which have been extensively reviewed. The strategy accounts for community input and recognizes that the beach, river, and lagoon systems are public assets of importance beyond Del Mar. The City believes the strategy will be successful, is "feasible" within the meaning of the Coastal Act and City law, and will best meet both public and private goals for a significant period of time.

Consistent with State guidance, the Del Mar Adaptation Plan identifies planned retreat as one long-term approach that will be reevaluated and considered as part of future planning and plan amendment if it becomes necessary and feasible because a change in conditions warrants reconsideration and other strategies are unable to achieve the stated goals. Any future consideration of planned retreat strategies will require detailed studies including engineering, economic, planning, public access, management and maintenance, risk studies and more.

The City thoroughly evaluated planned retreat as a strategy for Del Mar in accordance with the State guidance. The City concluded the following:

That implementation of planned retreat conflicts with the City's vision for the future, the voter-approved Community Plan, and the certified Local Coastal Program, which includes the voter-approved Beach Preservation Initiative;

That there is no clear net public benefit or current need, environmental or otherwise, for planned retreat because the City's favored adaptation strategies are sufficient;

That planned retreat is not feasible in Del Mar due to economic, environmental, engineering, social, political, and legal constraints and uncertainties;

That the extremely high land value in Del Mar means that public acquisition of any private property the City does not control will be difficult and cost prohibitive for the City to pursue;

That alternative locations are not available for displaced residents to relocate in Del Mar;

That the existing shoreline protection structures for the "front row" homes along the beachfront help protect lower lying public and private property from ocean flooding;

That removal of the existing shoreline protection structures and the "front row" homes would likely not alleviate the risk of flooding due to the lower elevation of the rest of the neighborhood; and

That there is a high threat of legal risk if retreat of private property is pursued.

Del Mar's Adaptation Plan is based on the best science and adaptation practices available today. However, sea-level rise science and practices are evolving and environmental conditions along the beach, bluffs, and San Dieguito Lagoon are changing. The City will reevaluate the associated necessity and feasibility of newly available adaptation options as appropriate using the best available data and State guidance when specific adaptation projects or amendments to the Adaptation Plan are considered at a future date.

CHAPTER 1

Planning for Sea-Level Rise in Del Mar

1.1 About the City of Del Mar

Del Mar is a beach city in San Diego County, California. Del Mar is Spanish for "of the sea" or "by the sea," which reflects the City's location on the coast of the Pacific Ocean (Figure 1.1). Del Mar's climate is considered Mediterranean-subtropical with warm, dry summers and mild, humid winters. The City has a total area of 1.8 square miles (4.7 km²), where 1.7 square miles (4.4 km²) of it is land and 0.1 square miles (0.26 km²) of it (4%) is water. The City of Del Mar has a small population of around 4,200 people, yet accommodates millions of visitors annually at the City's beaches, parks, trails, open space viewpoints, public facilities, and the Del Mar Fairgrounds due to a wide variety of free and low cost commercial and recreation activities that are made available to the public.

The entire western boundary of the City is on the oceanfront, from north to south, and includes bluff, lagoon river mouth, open beach and developed beach. Del Mar has a continuous wide beach stretching over two and a half miles from near the Los Peñasquitos Lagoon on the south to the San Dieguito Lagoon on the north, with additional walkable beach north of San Dieguito Lagoon river mouth to Del Mar's boundary with the City of Solana Beach. The beaches are walkable from end-to-end, especially in the summer when they are wider. The southern area of Del Mar is located atop and to the east of oceanfront bluffs, as is the area north of the San Dieguito lagoon, which is known as the North Bluffs. The northern beach area, known as North Beach, from 15th Street north to the San Dieguito Lagoon mouth, includes unique topography north of 17th Street that is characterized by existing oceanfront homes that are developed at a higher elevation than the adjacent homes and public roads to the east (Ocean Front, Coast Boulevard, and Camino Del Mar). From west to east this area slopes gently down to a low elevation point, then increases in elevation moving eastward and upwards towards the Los Angeles-San Diego-San Luis Obispo (LOSSAN) rail line. The existing topography makes the North Beach area particularly vulnerable to the risk of flooding.

1.2 Planning Process and Goals

Rising sea levels increase the risk of hazards to coastal communities from storms, flooding, and erosion. In response to the increased risks of coastal hazards, the California Coastal Commission (CCC) is working with local governments, such as the City of Del Mar (City), to complete LCP amendments that address the impacts of sea-level rise. An updated LCP can help cities address new coastal management challenges that result from sea-level rise and climate change.

Planning for sea-level rise includes identifying and applying different adaptation mechanisms based on the California Coastal Act requirements (Section 2.1), acceptable levels of risk, and community priorities, such as Del Mar’s voter-approved BPI incorporated in the certified LCP. By planning ahead, communities can reduce the risk of costly damage from coastal hazards, can ensure the coastal economy continues to thrive, and can protect coastal habitats, public access and recreation, and other coastal resources for current and future generations. Adaptation strategies should be chosen based on the specific risks and vulnerabilities of a particular region or project site, in the context of applicable Coastal Act and LCP requirements.



SOURCE: Text, text, text

Del Mar Coastal Adaptation Plan / 150347

Figure 1.1
Del Mar Map

1.3 Amending Del Mar’s Local Coastal Program

The Coastal Act requires local governments in the State’s Coastal Zone, such as the City of Del Mar, to create and implement LCPs to manage coastal development and protect coastal resources. State law and guidance from the CCC require that the City’s LCP include policies and regulations that address coastal hazards like sea-level rise, storms, flooding, and erosion.

Del Mar’s Adaptation Plan establishes local adaptation goals and policies to address the identified vulnerabilities. The Adaptation Plan assumes a long-range planning horizon and takes a phased approach that will involve future updates to the Adaptation Plan as needed.

Preparation of the Del Mar Adaptation Plan followed the steps outlined in the CCC’s Sea Level Rise Policy Guidance document as follows:

Step 1. Establish the Projected Sea-Level Rise Ranges

Table 1.1 shows projected future sea-level rise from the National Research Council (NRC) study, Sea-Level Rise for the Coasts of California, Oregon, and Washington (NRC 2012) for the low-, mid-, and high-range sea level rise. The rate of sea-level rise is projected to accelerate in the future.

The low-range sea-level rise scenario is based on dramatic reduction of fossil fuel use, which has not yet occurred. The mid-range sea-level rise projections are based on reducing fossil fuel use, with a balance between fossil fuels and alternative energy sources; whereas the high-range sea-level rise projections assume intensive fossil fuel use will continue in the future. The NRC sea-level rise projections are considered “best available science” for/by the State of California.

TABLE 1.1
SEA-LEVEL RISE SCENARIOS USED IN THIS STUDY

	2030	2050	2070	2100
Low SLR	2 in	5 in	8 in (0.7 ft)	17 in (1.4 ft)
Mid SLR	5 in	12 in	20 in (1.7 ft)	37 in (3.1 ft)
High SLR	12 in	24 in	38 in (3.2 ft)	66 in (5.5 ft)

The Del Mar Adaptation Plan acknowledges that the processes causing sea-level rise and the science of projecting sea-level rise are inherently uncertain. For example, the rate of sea-level rise is highly dependent on whether global greenhouse gas emissions will continue to increase or whether global emissions will be reduced. The rate of sea-level rise could be higher, or lower, than the above projections. Given the uncertainties, the Adaptation Plan is, therefore, not tied to specific timeframes or years, but rather uses thresholds based on amounts of sea-level rise of up to 5.5 ft and responses to climate change, such as flood frequency and erosion.

Step 2. Identify Potential Impacts from Sea Level Rise

Based on available modeling from USGS (CoSMoS) and analyses performed by ESA, the potential hazards for the City were identified in the City of Del Mar's Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016, <http://www.delmar.ca.us/DocumentCenter/View/2455>). Given the boundaries and setting of the City, the most dominant hazards are the following: coastal flooding associated with major wave events, river flooding, and coastal erosion (beaches and coastal bluffs).

Step 3. Assess the Risks and Vulnerabilities to Coastal Resources and Development

In the Del Mar Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016), the following assets were determined to experience some form of existing or future risk and related vulnerability to sea-level rise (e.g. bluff erosion and/or coastal flooding):

- A. Property (e.g., private homes, businesses)
- B. Roads
- C. Public transportation
- D. Water and sewer system
- E. Stormwater drainage system
- F. Parks
- G. Lagoon habitats
- H. Other Utilities (e.g. water, electricity, gas)

The City is currently vulnerable to river and coastal flooding and erosion, with significant damages experienced in the recent past (late 1970s to present). Along the Del Mar bluffs (Figure 1.2), the cliff top has retreated to a point where it is a safety concern for the LOSSAN railroad along the bluff top, and the San Diego Association of Governments (SANDAG) and North County Transit District (NCTD) have responded by installing multiple bluff stabilization projects.

With future climate change and sea-level rise, studies suggest that the City's current vulnerabilities are projected to increase in both frequency and intensity, resulting in increased damage to much of Del Mar including low-lying areas and areas near coastal bluffs. The vulnerabilities are summarized as follows:

The beach above high tide will be lost to erosion with approximately 1 to 2 ft of sea-level rise, at which point beach erosion and coastal storms will threaten sea wall integrity, affecting the City's North Beach District.

Bluffs will erode and impact the LOSSAN railroad as well as the South Beach and South Bluff Districts; or, if the railroad were to be armored with a seawall, little to no beach will exist.

San Dieguito River flooding will inundate the City's North Beach and Valley Districts, including the Del Mar Fairgrounds, more frequently and with greater depths.

Public facilities, roads and bridges, infrastructure, emergency services, coastal access, and San Dieguito Lagoon wetland habitats will be impacted.

Step 4. Identify Adaptation Measures

The Del Mar Sea-Level Rise Adaptation Plan is a “toolbox” with a variety of adaptation measures that can address the short-term and long-term needs of property owners (public and private) for protection, accommodation, and retreat as necessary to keep development safe and resilient, avoid flooding and erosion hazards, and incorporate safe setbacks. Consistent with Coastal Commission Guidance, the Adaptation Plan includes a variety of adaptation approaches, nature based or green infrastructure solutions, and multi-objective measures that incorporate environmental considerations and a holistic approach, rather than focusing on independent solutions to protection.

Preparation of the Adaptation Plan was funded by the City and a planning grant awarded to the City by the Ocean Protection Council and administered by the CCC. This Adaptation Plan follows the CCC’s (2015) Sea Level Rise Policy Guidance for addressing sea-level rise in LCPs and is consistent with the Coastal Act and relevant City and State policy, plans, and guidelines (reviewed in Chapter 2).



SOURCE: ESA

Del Mar Coastal Adaptation Plan / 150347

Figure 1.2
Railway on Top of Bluff

1.4 Del Mar's Sea-Level Rise Stakeholder Technical Advisory Committee (STAC)

The City established the Sea-Level Rise Stakeholder Technical Advisory Committee (STAC) as an advisory committee to provide recommendations to the City Council and oversight on preparation of the LCP amendment, and to provide a public forum to ensure the LCP amendment process is open, inclusive, and develops consensus amongst the many stakeholders involved. For more details on the STAC, see: <http://www.delmar.ca.us/499/Sea-Level-Rise-Stakeholder-Committee>.

The STAC recommended the following guiding principles for developing, evaluating, and analyzing adaptation measures in the Adaptation Plan:

Limit the risk of extreme coastal and river flooding and damage to less than approximately a 5% chance of occurring in a given year.

Maintain a walkable beach for recreational use and economic benefit, and to reduce flooding. (Economic benefit in this context includes both market and non-market value.)

Maintain continuous horizontal coastal access and vertical water access points to North and South Beach.

Maintain San Dieguito Lagoon wetland habitat functions.

Adaptation Plan Appendices B and C include supplemental information relating to the STAC's analysis and recommendations.

1.5 Purpose of the Adaptation Plan

This Adaptation Plan is a “toolbox” that will provide the basis for developing new sea-level rise policies that will be integrated into the City's LCP via an LCP Amendment. The adaptation strategies included are based on the technical analysis from the Coastal Hazards, Vulnerability and Risk Assessment (ESA 2016) that used flood risk and shoreline change modeling. This Adaptation Plan follows the CCC's (2015) Sea Level Rise Policy Guidance for addressing sea-level rise in LCPs. Additional information on the City's LCP Amendment is available at: <http://www.delmar.ca.us/sealevelrise>.

This project will inform the City's long-term effort to address a range of coastal and climate change hazards in planning and regulatory processes. This information will assist the City in making informed decisions regarding land use and development standards from the project-level to the plan- and policy-level.

The guiding principles behind the Adaptation Plan seek to be consistent with the voter-approved BPI to regulate the uses of the Del Mar beach area, a distinct and valuable resource, for the benefit of present and future generations. The guiding principles also seek to protect public access to and along the shoreline, while promoting public safety, health, and welfare, and providing for

the protection of private property. Lastly, the guiding principles seek to minimize risks to Del Mar’s assets, including property and infrastructure; and to protect Del Mar’s coastal resources.

The California Coastal Act defines coastal resources to include coastal development and hazards; public access and recreation; coastal habitats; Environmentally Sensitive Habitat Areas and wetlands; water quality and supply; archaeology and paleontological resources; and scenic and visual resources. A key coastal resource in Del Mar is the sandy beach, both for public enjoyment and community wellbeing, and also for ecosystem services such as storm damage protection.

1.6 Summary of the Adaptation Plan

The Del Mar Adaptation Plan includes the following collection of adaptation measures as near-term options for adaptation in Del Mar to reduce risks associated with future sea-level rise.

Adaptation for Public Facilities, Infrastructure, and Beaches:

- Plan for relocating or flood-proofing the City of Del Mar Fire Station
- Plan for relocating or flood-proofing the City of Del Mar Public Works Yard – Plan for flood-proofing the sewer lift station along San Dieguito Drive
- Per the Sediment Management Plan, pursue beach nourishment, river channel dredging, and sand retention adaptation strategies, accordingly
- Plan for protection of beach access points from storm surge and flooding
- Consider establishing a local Beach Retention Advisory Committee (BRAC)
- Obtain permits to establish a Sand Compatibility and Opportunistic Use Program (SCOUP) to allow the City to more readily participate in sand replenishment projects when an opportunity arises
- Monitor changes in risks to other public resources including roads, bridges, sewer lines, water supplies, storm drainage systems, parks, and public structures

San Dieguito Lagoon wetland adaptation:

- Per the Lagoon Habitat Migration Assessment, pursue habitat management strategies, accordingly. Address conversion of vegetated wetland to mudflat and open water habitats by allowing and facilitating the conversion of higher elevation area to tidal wetland habitat, such as the tern nesting island, adjacent upland habitats, and upstream riparian habitats.
- Consider placement of sediment to raise the elevation of the wetlands (e.g., “spraying” material dredged from the River channel as a thin layer of sediment across the vegetated marshplain) to reduce or slow wetland habitat conversion.
- Consider wetland expansion/restoration to create new wetlands with higher elevation areas that are more resilient to sea-level rise; and incorporate design that is compatible with partial retreat and construction of “living” levees to reduce flood risks along the River.

San Dieguito River flooding adaptation:

- Plan for San Dieguito River channel dredging to maintain the river channel bed near its current elevation to reduce river flood risks in the near- to mid-term.

- Monitor sand dynamics in the channel east of the railroad bridge.
- Investigate Lake Hodges reservoir flood management options to increase reservoir storage volume (i.e. pump operation changes and dredging of sediment) and as a means to delay the need for additional flood adaptation measures at this time.
- Consider constructing new “living” levees between the Lagoon wetlands and development to provide longer-term flood risk reduction; and incorporate design that is compatible with wetland adaptation measures.
- Design structures to be elevated above projected flood levels and above projected sea-level rise levels as appropriate for life of structure and accepted level of risk.
- Consider flood-proofing or relocating public facilities, infrastructure, and utilities.
- Consider incentives for relocation of at risk private property to allow for implementation of wetland restoration adaptation measures.

Bluff/beach erosion adaptation:

- Per the Sediment Management Plan, pursue beach nourishment, river channel dredging, and sand retention adaptation strategies accordingly
- Incorporate best management practices (BMPs) to reduce bluff erosion and control surface runoff to avoid concentrated flow down the bluffs, reduce saturation of upper soils, and manage groundwater daylighting.
- Investigate whether landscape irrigation in City neighborhoods east of the bluffs is contributing increased groundwater flow and associated erosion and whether adaptation measures are needed to reduce irrigation.
- Consider whether installation of access paths down the bluffs (e.g., stairways) in conjunction with authorized pedestrian crossings at railroad under- or over-passes may provide some near-term reduction in bluff erosion.
- Consider relocating public facilities, infrastructure, and utilities, especially where there is an opportunity for public benefit to restore or preserve public trails and/or public park space. Removal of bluff top sewer lines, drainage ditches, and fiber optic cables will eventually be required as the bluff continues to recede inland.
- Support relocation of the LOSSAN railroad to allow for continued landward bluff erosion, to thereby maintain a beach below the bluff and provide public access along the bluff top.

Beach coastal (ocean) flooding and beach erosion adaptation:

- Per the Sediment Management Plan, pursue beach nourishment, river channel dredging, and sand retention adaptation strategies accordingly.
- Explore development of sand retention structures such as artificial reefs to help maintain the sandy beach and increase the effectiveness of beach nourishment long-term.
- Maintain the existing regulations and permit process for shoreline protection in accordance with the BPI and Beach Overlay Zone, which reflects Del Mar’s voter-approved approach to beach preservation.
- Consider requests to elevate the height of BPI-compliant sea walls in North Beach as a means to reduce flood risks in consideration of sea-level rise and any changes in elevation of the beach profile.

- Design structures to be elevated above projected flood levels and above projected sea-level rise levels as appropriate for life of structure and accepted level of risk.
- Consider whether regulation changes are needed to facilitate the elevation of structures as needed to address flood hazards.
- Consider whether to flood-proof or relocate City infrastructure including buildings, utilities, and roads to accommodate the increase in flood risk with sea-level rise as appropriate for life of structure and accepted level of risk.

CHAPTER 2

Relevant Plans and Guidelines

2.1 California Coastal Act

The Legislature declares that the basic goals of the State for the coastal zone are to:

1. Protect, maintain, and where feasible, enhance and restore the overall quality of the coastal zone environment and its natural and manmade resources;
2. Assure orderly, balanced utilization and conservation of coastal zone resources taking into account social and economic needs of the state;
3. Maximize public access to and along the coast and maximize public recreational opportunities in the coastal zone consistent with sound resource conservation principles and constitutionally protected rights of private owners;
4. Assure priority for coastal-dependent development over other development on the coast;
5. Encourage state and local initiatives and cooperation in preparing procedures to implement coordinated planning and development for mutually beneficial uses, including educational uses, in the coastal zone.

Any request for permit approval of shoreline protection within the City of Del Mar is appealable to the CCC. The standard of review for approval of this this type of permit is the Coastal Act and the City's certified LCP. This includes the City's Beach Overlay Zone regulations (certified in 2001 as part of the City's certified Implementation Plan), which implements the 1988 BPI (a Del Mar voter initiative) that established the City's rules for seawalls, emergency protective structures, and removal of non-conforming encroachments from the public beach. (See Section 2.3 Del Mar Local Coastal Program.)

2.2 Del Mar Community Plan

The City of Del Mar Community Plan (General Plan) establishes the community's vision for future growth through goals, objectives, and policies that address the following topics: environmental management, transportation infrastructure, and community development, including land use and housing (City of Del Mar, 1976). The Community Plan also references specific provisions for 16 specific plans that apply to certain areas of the city, natural or hazardous features, and provision of certain infrastructure.

Beach and Open Space Related Policies

1.E.1 Preserve, as open space, areas such as the 100-year floodway and the beach bluffs west of the railroad tracks that are too hazardous to justify permanent construction.

1.E.7 Open space areas should be managed with erosion control and pollution prevention measures in the forefront.

1.H.1 Participate in regional and/or statewide efforts to evaluate and control beach and bluff erosion problems.

1.I.10 Maintain existing public uses of beaches.

The Adaptation Plan recognizes that Del Mar's beach, particularly North Beach, but also including South Beach along the bluffs, provide significant recreational, economic, and flood and erosion protection values. The beach is walkable for most of the year and most stages of the tide, with the exceptions being particularly high tides occurring in the winter when seasonal erosion of the beach has occurred. The City's intent is to maintain these values and the character of Del Mar's beaches. Through adaptation, the goal is to avoid extended periods of time or successive years where these uses and values are significantly compromised (e.g., periods of days or weeks when the beach is not walkable or only walkable at the lowest tides). Given that the beach is continually changing throughout the year and from year to year, it is difficult to measure or specify a minimum beach width to be maintained. The goal is, therefore, focused on maintaining the beach's values for recreational use, economic benefit (market and non-market value), and to reduce flooding.

Beach Access-related Policies

1.E.4 Preserve and where necessary acquire easements for the protection of access to the beach and other public open space.

2.A.5 Preserve and improve pedestrian access to and along beaches and sea cliffs by use of all public rights-of-way and prescriptive easements.

The City's adaptation goal is to maintain continuous horizontal coastal access along Del Mar's North and South Beach between Solana Beach to the north and Torrey Pines State Beach to the south. The Adaptation Plan also seeks to maintain and provide vertical access down to the Del Mar beach at existing access points and potentially via new controlled and legal railroad crossing(s) and access down the South Bluff.

Wetland Habitat and Biological Resource Protection Policies

1.J.1 Establish a comprehensive master plan and management program for the lagoon including biological productivity potential, health controls, future water supply, the preservation and enhancement of wildlife, and opportunities for educational and recreational enjoyment.

1.J.2 Land use policies established within the San Dieguito River Floodway and Lagoon Habitat should be consistent with the long-range goal of returning the entire area to the natural lagoon condition.

The Adaptation Plan seeks to maintain San Dieguito Lagoon wetland habitat functions for wetlands within the City limits and to provide guidance and coordination for maintaining the Lagoon ecosystem as a whole, including upstream wetlands in the City of San Diego. The Del Mar Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016) indicates that vegetated salt marsh habitat will convert to unvegetated mudflat and open water habitat with sea-level rise. The Adaptation Plan seeks to maintain a diverse array of wetland habitats including vegetated salt marsh habitat for critical salt marsh species, which could otherwise be lost. Southern California Edison (SCE) currently maintains the San Dieguito Lagoon Restoration as part of the mitigation program for the San Onofre Nuclear Generating Station (SONGS); however, SCE is not currently required to address the potential effects of sea-level rise and at some point in the future the management of the restoration may be transferred to another entity. The Adaptation Plan therefore seeks to improve the resiliency of the entire San Dieguito Lagoon wetland ecosystem to sea-level rise, including the San Dieguito Lagoon Restoration.

2.3 Del Mar Local Coastal Program

Del Mar's LCP guides development and protects coastal resources within the Coastal Zone. LCPs must be consistent with the California Coastal Act of 1976, as amended. Del Mar's LCP is made up of two parts: (1) the Land Use Plan (a compilation of goals, policies, and recommended programs), and (2) Implementation Plan Ordinances (regulations that implement the provisions of the Land Use Plan and the California Coastal Act) (City of Del Mar, Land Use Plan certified by CCC March 1993; Implementation Plan certified by CCC September 2001; with seven subsequent LCP amendments certified thereto as of February 2018).

Del Mar's LCP includes regulations in the Del Mar Municipal Code (DMMC) for the Floodway Zone (Chapter 30.29), Public Access (Chapter 30.61), Coastal Development Permits (Chapter 30.75), Setback Seawall Permits (Chapter 30.51), and the following overlay zones: Beach Overlay Zone (Chapter 30.50), Coastal Bluff Overlay Zone (Chapter 30.55), Floodplain Overlay Zone (Chapter 30.56), Bluff, Slope, and Canyon Overlay Zone (Chapter 30.52), and Lagoon Overlay Zone (Chapter 30.53).

Following are key LCP coastal resource policies and regulations relevant to the Adaptation Plan:

Beach Overlay Zone (Land Use Plan, Chapter III; Implementing Ordinances, DMMC Chapter 30.50): The Beach Overlay Zone implements the BPI as adopted by the Del Mar voters on April 12, 1988 and the BPI Guidelines adopted by the City Council on November 14, 1988. The stated purpose is "to regulate the uses of the Del Mar beach area, a distinct and valuable natural resource, for the benefit of present and future generations". The intent is to protect public access to and along the shoreline, while promoting public safety, health and welfare, and providing for the protection of private properties. The Overlay Zone establishes a Shoreline Protection Area (SPA) line and establishes the City's rules for seawalls, emergency protective structures, and removal of non-conforming encroachments from public property seaward of the SPA line.

Coastal Bluff Overlay Zone (Land Use Plan, Chapter III; Implementing Ordinances, DMMC Chapter 30.55): The purpose of this zone is to protect Del Mar’s fragile coastal bluffs as a visual resource and avoid the risks to life and property associated with bluff failure and shoreline erosion.

Floodplain Overlay Zone (Land Use Plan, Chapter III, Implementing Ordinances, DMMC Chapter 30.56): The purpose of this zone is to promote public health, safety, and general welfare by ensuring that new development is appropriately sited and constructed so as to avoid hazards to those who will occupy the development, and to avoid damage or hazards to the surrounding area. The purpose is also to ensure development will not obstruct flood flow; will be designed to reduce the need for construction of flood control facilities that would be required if unregulated development were to occur; and to minimize the cost of flood insurance to Del Mar’s residents.

Lagoon Overlay Zone (Land Use Plan, Chapter VI; Implementing Ordinances, DMMC Chapter 30.53): The purpose of this zone is to protect the wetland resources of the Los Peñasquitos and San Dieguito Lagoons and their sensitive upland habitats by requiring that all development activities are designed and implemented in a manner that is consistent with wetland habitat protection and enhancement.

2.4 Del Mar Climate Action Plan

The Del Mar Climate Action Plan provides a roadmap for the Del Mar community to reduce greenhouse gas emissions. The Climate Action Plan includes a greenhouse gas emission inventory for 2012 (defined as the baseline) and emission reduction targets for 2020 and 2035. Actions to meet emission reduction targets are grouped by the following community sectors: energy and buildings, water and waste, transportation, and urban tree planting. The Climate Action Plan identifies the process for implementing and monitoring success of the reduction measures included in the plan. Adaptation strategies to help the city reduce vulnerabilities and build resilience to the anticipated effects of climate change are also included. Adaptation strategies that relate to the measures identified in this Adaptation Plan include:

Coastal Flooding

- Conduct a sea-level rise study to understand the risks and cost/benefits of development within flood hazard zones and potential long term mitigation recommendations.
- Explore protecting existing and construct new natural buffers to protect the coastline from flooding.
- Explore preservation of shorelines through beach replenishment and nourishment to address impacts of sea-level rise on shorelines.

Natural Systems and Wildlife

- Monitor the health of coastal wetlands/river habitats that filter polluted runoff. – Protect, preserve, and restore native habitats.

2.5 CCC Sea-Level Rise Policy Guidance

In 2015, the CCC adopted the Sea Level Rise Policy Guidance document to aid jurisdictions in incorporating sea level rise into LCPs, Coastal Development Permits, and regional strategies. The document outlines specific issues that policymakers and developers may face as a result of sea level rise, such as extreme events, challenges to public access, vulnerability and environmental justice issues, and consistency with the California Coastal Act. It organizes current science, technical, and other information and practices into a single resource to facilitate implementation of the Coastal Act by coastal managers at the state and local level. The policy guidance document also lays out the recommended planning steps to incorporate sea level rise into the legal context and planning strategies to reduce vulnerabilities and guide adaptation planning. The policy guidance has a strong emphasis on using soft or green adaptation strategies. The Del Mar Adaptation Plan was prepared in accordance with the Coastal Commission Guidance document.

CHAPTER 3

About this Adaptation Plan

This Adaptation Plan is based on the best available science. It lays out the City’s long-term plan to address the local vulnerabilities and risks identified in the Del Mar Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016) because without local action, significant portions of Del Mar’s beach, coastal bluffs, and Lagoon habitat may be lost. This Adaptation Plan therefore includes a variety of adaptation strategies for a long-term, phased approach that accounts for policy guidance provided by the CCC, technical guidance provided by Environmental Science Associates (ESA), and context-specific local data and preferences provided over the course of multiple years, including a series of over 20 public meetings in which members of the STAC and public provided input and feedback.

3.1 Adaptation Plan Overview and Process

The City of Del Mar’s approach to planning for sea-level rise involves phasing in short- and long-term adaptation strategies. This phased approach provides a structure for sequencing adaptation measures using expected sea-level rise thresholds, and provides a way to manage the inherent uncertainty in timing and extent of potential sea-level rise impact. Thresholds are used to help guide the planning and implementation of specific adaptation strategies. For example, thresholds related to the extent of flooding or frequency of damages might be used to indicate that an adaptation action is needed to reduce or avoid future damage. The process should continue to involve the local community, and reflect the Del Mar community’s risk tolerance, local conditions, and adaptation vision.

The Adaptation Plan provides a framework for the City to prepare for identified vulnerabilities, manage risks (Section 3.2), monitor effects of sea-level rise (Section 3.3), and choose from a toolbox of adaptation options (Section 3.4). The Adaptation Plan provides flexibility for the City to choose from an array of adaptation measures over time as specified thresholds for action are reached. Project-level planning and approvals will be required to further develop and implement the adaptation measures included in the Adaptation Plan (Section 3.5). The Adaptation Plan identifies the lead times for project-level planning of adaptation measures so that the City can begin planning for adaptation in advance of when implementation is needed.


In accordance with CCC guidance, the Del Mar Adaptation Plan:

Is based on the best science and adaptation practices available today;

Acknowledges that sea-level rise science and practices are evolving and that the City will evaluate future decisions and take action based on the best-available science and technology at the time; and

Includes a range of sea-level rise adaptation measures within the three general categories of adaptation: Protect, Accommodate, and Retreat.

The CCC further guides that, after evaluating vulnerability and establishing policies for areas with identified hazards, communities can begin the process of evaluating and choosing adaptation strategies for specific areas. In most cases, especially for LCP land use and implementation plans, multiple adaptation strategies will be needed and every community will need to assess their risks and their potential options. There are a number of options for how to address the risks and impacts associated with sea-level rise. Choosing to “do nothing” or following a policy of “non-intervention” will likely lead to unacceptable exposure to hazards and impacts to coastal resources, so the strategies for addressing sea-level rise hazards will require proactive planning to ensure protection of coastal resources and development. Figure 3.1 illustrates the process of selecting and implementing proactive adaptation strategies.



SOURCE: ESA

Del Mar Coastal Adaptation Plan / 150347

Figure 3.1
Process to Evaluate, Select and Plan Adaptation Options

3.2 Risk Management

The goal of the Adaptation Plan is to manage sea-level rise-related risks by keeping these risks within an acceptable limit. Table 3.1 summarizes risk for extreme (infrequent) and significant (more frequent) flooding from the Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016). “Low, moderate, and high” risks are defined for the purposes of the Risk Assessment and Adaptation Plan as follows:

Low: 0% - 5% chance of occurrence in a given year

Moderate: 5% - 30% chance

High: 30% - 100% chance


A guiding principle of the Adaptation Plan is to limit the risk of extreme flooding and damage to a low risk level (i.e., less than 5% chance of occurrence in a given year).

TABLE 3.1
SUMMARY OF NORTH BEACH ASSET VULNERABILITY TO FLOODING AND DAMAGE

Type and degree of flooding and damage		Risk				
		Present (0 ft of sea-level rise)	1 ft of sea-level rise	2 ft of sea-level rise	3.2 ft of sea-level rise	5.5 ft of sea-level rise
Coastal	Significant (e.g., 2016 storms)	Moderate 10%	High 50%	High 100%		
	Extreme (e.g., 1983 storm)	Low 1%	Mod. 5%	Mod. 15%	High 50%	High 100%
River	Significant (e.g., 1980 flood)	Low 4%	Mod. 15%	Mod. 25%	High 50%	High 100%
	Extreme (e.g., FEMA 1% chance flood)	Low 1%	Mod. 5%	Mod. 6%	Mod. 6%	Mod. 20%

Risks to Del Mar's assets increase with sea-level rise. The goal of the Adaptation Plan is to plan a sequence of adaptation measures that can be implemented to reduce the risk of extreme flooding, thereby maintaining the risk at a low or acceptable level (Figure 3.2).

The Adaptation Plan includes accommodating some increase in flood risks. For significant flooding (i.e. flooding that occurs more frequently than extreme flooding, but is still significant), the current low – moderate risk will increase to moderate – high levels with 1 ft of sea-level rise or more (Table 3.1). Thus, the Adaptation Plan focuses on limiting extreme flood risks to low levels, but an increase in significant flooding is expected with sea-level rise.




SOURCE: ESA

Figure 3.2
Concept of Adaptation to Manage Del Mar's Risks
with Increasing Sea Level Rise

3.3 Monitoring Change

The Adaptation Plan includes measurable thresholds that, if and when they occur, call for the implementation of adaptation measures to limit risks. The Adaptation Plan sets conceptual planning-level adaptation thresholds such that adaptation measures can be implemented to reduce risks before the acceptable target level of risk is exceeded. The City will need to monitor and evaluate the trajectory towards these thresholds to track whether and when these thresholds are met. The Adaptation Plan thresholds and monitoring are summarized below.

Amount of sea-level rise (e.g., 1 ft, 2 ft, and 3 ft of sea-level rise). Certain adaptation measures will need to be taken when sea-level rise has risen by a certain amount. To monitor sea-level rise and progress towards the sea-level rise amount thresholds, the City will follow sea-level rise reports from the State and Scripps Institute of Oceanography (SIO) and sea-level rise data from the nearby NOAA tide gage at Scripps Pier at La Jolla Shores (Figure 3.3). Sea level is inherently variable in response to predictable astronomical tides and less-predictable atmospheric events such as El Niño and individual storms; however, given that extreme flooding occurs infrequently, sea-level rise may be realized before extreme flooding occurs. Tracking sea-level rise may, therefore, allow the City to anticipate and act in advance of the projected effects of sea-level rise.



SOURCE: NOAA

Del Mar Coastal Adaptation Plan / 150347

Figure 3.3
Sea-Level Rise Trend at La Jolla Tide Gage

Flooding and storm damage frequency. In addition to the amount of sea-level rise, the frequency or risk of flooding and storm damage is used as a threshold in the Adaptation Plan. To monitor the frequency of flooding and storm damage, the City will track and keep records of coastal and River flooding and storm damage events and information. This could be a collaborative effort between City staff and residents in which reports, pictures, and videos are collected. The date, type, location, and severity of flooding (e.g., depth, duration, wave height), and damages can be collated into a file. The intent will be to track the frequency, extent, and severity of flooding to assess if and how the frequency of flooding is increasing. If significant and/or extreme flood events occur, then storm data (e.g. water levels, wave conditions) can be collected and storm frequencies can be recalculated to quantify the increase in flood risk for comparison against risk-based thresholds.

Beach width. Given that a guiding principle is to maintain a walkable beach, beach width is used as a metric for considering when beach adaptation measures would be implemented. Specific beach width thresholds are discussed in Chapters 7 and 8 and will be further detailed as part of subsequent monitoring, analysis, and planning. SCE and SANDAG currently perform beach profile surveys to monitor beach width. SCE is required to maintain a minimum beach width of 32.4 ft to 180.0 ft (depending on the location on the beach) at least through 2025, assuming no adverse impacts from the project are found, as part of the CCC's Coastal Development Permit for the San Dieguito Lagoon Restoration; however, this requirement and SCE's beach maintenance program do not account for future sea-level rise. SANDAG measures four profiles in Del Mar. Profiles are surveyed two times per year, from 1999 to present. The City will review the results of beach surveys from SCE and SANDAG, and assess the results against beach width thresholds. Supplemental and long-term beach monitoring programs, including all of Del Mar's beaches, are recommended for consideration as part of the implementation of the Adaptation Plan.

Bluff top offset. The Adaptation Plan uses the offset or distance between the top of the bluffs and assets such as the LOSSAN railroad track, sewer line, and the edge of bluff top properties as a threshold for bluff adaptation measures. When the bluff top reaches the threshold set based on the distance at which the safety of the asset is at risk, the Adaptation Plan calls for

implementation of bluff adaptation measures. The NCTD and SANDAG currently monitor the condition of the bluff relative to the safety of the railroad track. Dr. Adam Young of SIO has also performed research on the erosion of Del Mar's bluff. The City will review and track bluff-top erosion monitoring and results from NCTD, SANDAG, and/or Dr. Young. If and when the railroad is relocated off the bluff, the City will consider supplemental and long term bluff top erosion monitoring programs to track erosion towards the sewer line and property along the bluff against the offset threshold.

San Dieguito River channel deposition. Per the Coastal Hazards, Vulnerability, and Risks Report (ESA 2016), the potential for increased deposition of sand in the San Dieguito River channel with sea-level rise is a significant factor in increasing the City's risk of River flooding. The amount of channel deposition is, therefore, used as a threshold for River flooding adaptation measures in the Adaptation Plan. SCE currently surveys channel cross-sections and is required to maintain a certain tidal flow (tidal prism), but is not required to maintain a channel bed elevation for the purposes of reducing flood risk to Del Mar. The City will review and track SCE's channel surveys and assess if deposition thresholds are reached and will consider supplemental channel monitoring, including monitoring east of the railroad bridge, if and when necessary.

San Dieguito Lagoon wetland conversion. The Adaptation Plan uses conversion of San Dieguito Lagoon wetland habitats with sea-level rise (e.g., conversion of vegetated wetland habitat to mudflat and open water habitat) as a threshold for wetland adaptation measures. As part of the San Dieguito Lagoon Restoration, wetland habitat acreages are monitored by UC Santa Barbara on behalf of the CCC, and SCE is required to maintain certain wetland acreages; however, these requirements and maintenance do not account for future sea-level rise. The City will review and track the Restoration habitat monitoring and coordinate with the CCC and SCE on evaluating thresholds and the process for implementing adaptation measures when thresholds are reached. The City will also consider monitoring of wetland areas outside of the Restoration and coordination with the City of San Diego on upstream wetland habitat monitoring and adaptation.

The City will compile readily available data for annual status reports and will consider preparation of a more comprehensive sea-level rise Adaptation Plan Monitoring and Thresholds Assessment Report on a regular cycle to identify significant changes or progress towards thresholds, evaluate if and when thresholds are reached, and plan next steps towards implementing adaptation measures. The City may conduct this process in consultation with technical experts and will seek public input and review. The City will also consider participating in regional efforts, if initiated, to monitor and track sea-level rise and related effects.

3.4 Analysis of Adaptation Options

The Adaptation Plan identifies high priority, near-term measures for City assets and addresses specific vulnerabilities and risks for the City District areas illustrated in Figure 3.4. Each chapter presents a range of adaptation options with the benefits, constraints, limitations, and potential impacts for each. A figure for each of the four City areas (beach, bluff, river, and wetlands) illustrates available adaptation measures together with criteria to be monitored to assess rate and amount of change, lead times and anticipated time ranges when each measure would be effective.

The plan has the following five parts:

Chapter 4 - High Priority Measures for Public Resources: High priority measures to relocate and flood-proof public safety and public works facilities, and plan for beach nourishment, river channel dredging, and sand retention to maintain the public beach.

Chapter 5 - San Dieguito Lagoon wetland adaptation: Adaptation relevant to the River Valley and San Dieguito lagoon.

Chapter 6 - San Dieguito River flooding adaptation: Adaptation relevant to the River Valley, Del Mar Fairgrounds, and North Beach (north from 15th Street to the San Dieguito Lagoon mouth).


Chapter 7 – Bluff and adjacent beach erosion adaptation: Adaptation relevant to the South Bluffs, bluffs along South Beach, bluffs along Powerhouse Park, and North Bluffs.

Chapter 8 - Beach erosion and flooding adaptation: Adaptation relevant to the North Beach neighborhood (north from 15th Street to the San Dieguito Lagoon mouth).

Criteria for considering an adaption measure include degree of loss of beach, bluff, or wetland, frequency of damaging storms, and river channel deposits. As discussed in Section 3.3, as changes happen and progress, full evaluation of design, environmental impacts, and costs of any given adaptation measure will require additional studies. Adaptation strategies also need to be evaluated for conformance with the relevant City and state policies, plans, and guidelines detailed in Chapter 2, which include the following:

- Del Mar Community (General) Plan
- Del Mar LCP
- Del Mar Climate Action Plan
- CCC Sea Level Rise Policy Guidance
- Safeguarding California Plan

Coastal Development Permit review and approval for adaptation measures will fall within the CCC and/or the City’s coastal permitting jurisdiction. A paragraph at the end of Adaptation Plan Chapters 5 through 8 summarizes the likely coastal permitting mechanisms for the types of adaptation measures described within.



SOURCE: NOAA

Del Mar Coastal Adaptation Plan / 150347

Figure 3.4
City Districts in Del Mar

3.5 Project-Level Planning and Lead Times

The Adaptation Plan identifies adaptation measures at a conceptual planning-level of detail and discusses potential benefits and effects of adaptation measures. Additional detailed project-level planning and design would be required to implement adaptation measures. For adaptation measures involving construction, the project-level planning and design may include:

- Feasibility study including additional technical analyses, development and assessment of project alternatives and details, conceptual and preliminary engineering design, and cost estimating.

- California Environmental Quality Act (CEQA) and possibly National Environmental Policy Act (NEPA) environmental review and regulatory permitting.

- Final engineering design.

Lead time is required to perform project-level planning, secure funding, and implement or construct an adaptation measure. All adaptation options discussed in the Adaptation Plan require substantial lead time. For example, levees, comprehensive sea wall strategies, sand retention strategies, and wetland management strategies can require significant lead time. With anticipated lead times, the City will be able to begin advanced planning before adaptation measures could be in place to limit risk.

3.6 Del Mar's Favored Adaptation Approach

Del Mar's approach to adaptation is comprised of many subcomponents all designed to work together. Del Mar's commitment is, for the long term, to maintain a popular public beach (currently accommodating over 2 million visitors per year supported by a resident population in Del Mar of 4,200), hosting one of the very few off-leash dog beaches in the County, offering public access at every street end, at the river mouth, and at Powerhouse Park, and offering a variety of recreational experiences ranging from surfing and swimming to volleyball, fishing, and other recreational activities.

At this time, the City's favored approach is to pursue a combination of beach nourishment, sand retention/management, and flood management projects to maintain the existing high quality public beach and public access in Del Mar as the primary means of addressing sea-level rise, with due consideration to the following:

- Shoreline protection consistent with the BPI;

- The specific needs of public facilities and infrastructure such as roads, sewers, and utilities;

- The unique needs of the north and south bluff areas;

- Public beach access at the many street ends, at North Beach, and at Powerhouse Park, to ensure long-term public access; and

- The unique topography of Del Mar with its "front row" of beach homes located at a higher elevation than the properties, public and private, to the east.

After considering all of the options, the City determined that the best strategy for achieving these long-term goals is:

Proactive implementation of programs, including sand replenishment and management, to maintain a publicly usable beach that will also serve as a protective buffer for abutting private and public property, while enhancing maximum public access;

Utilization of additional programs to protect the low-lying properties, public and private, behind the first row of houses on the beach from ocean and river flooding through maintenance of a public beach, dredging of the river channel as needed, and other strategies (e.g. storm drain modifications and/or a new living levee) to reduce the risk to these low-lying areas;

Continued application of minimum setbacks to property that is subject to flooding and bluff erosion hazards; and

A decision to not select planned retreat as a strategy for Del Mar because it is not feasible and not as effective as the favored strategies, which are feasible to achieve the Coastal Act and City goals.

Del Mar's strategy is based on sound scientific and engineering principles, which have been extensively reviewed. The strategy accounts for community input and recognizes that the beach, river, and lagoon systems are public assets of importance beyond Del Mar. The City believes the strategy will be successful, is "feasible" within the meaning of the State law, and will best meet both public and private goals for a significant period of time. In accordance with the California Coastal Act section 18.04.010 and Public Resources Code sections 21061.1 and 30108, the term "feasible" means capable of being accomplished in a successful manner within a reasonable period of time, taking into account economic, environmental, social, and technological factors.

3.7 Reevaluation

The Adaptation Plan is intended to establish a process in which new data and information will be assessed, as needed, to inform adaptation decisions and actions. As such, it is anticipated that the Adaptation Plan will be re-evaluated and updated.

CHAPTER 4

High Priority Measures for Public Resources

High priority sea-level rise adaptation measures for the City to begin planning now include relocating or otherwise flood adapting the City’s Fire Station and Public Works Yard on Jimmy Durante Boulevard, as well as flood-proofing the sewer lift station along San Dieguito Drive (Figure 4.1). These facilities already have a medium to high risk of San Dieguito River flooding (i.e., 5% annual chance of flooding) or greater, as evidenced by the San Dieguito River flooding that occurred at the fire station and public works yard in February 1980 (see the Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016) for additional information).

It is recommended that the City immediately begin evaluation of beach nourishment, river channel dredging, and sand retention strategies to maintain the public beach and recreational opportunities and provide enhanced protection of public infrastructure and private property from flooding. Beyond the vulnerabilities addressed in this chapter, the City should evaluate and monitor risks to other public facilities, infrastructure, and resources including roads, bridges, sewer lines, water supplies, storm drainage systems, parks, and public structures.



Del Mar Coastal Adaptation Plan / 150347

Figure 4.1
High Priority Infrastructure

City of Del Mar fire station. The fire station is an essential services building that should be operable during flooding in order to respond to flood-related calls and other emergencies. Given that flood risk has the potential to increase with sea-level rise, the adaptation plan calls for beginning a process to relocate the fire station to a location that is not anticipated to flood and would still allow the fire department to respond to an emergency. The alternative is to flood proof the facility, for example through berms, elevation, or other strategies, so it can continue to operate on a fully functional basis. Moderate exposure of the fire station to flooding will make emergency services highly vulnerable with 1 ft of sediment deposition because the fire station will be impacted when flooding is occurring and emergency response is needed, as occurred in the 1980 flood. Some flood-proofing could be accomplished by raising facilities above the 100-year flood level (12.8 ft NAVD per FEMA 2016) with an allowance for future sea-level rise (e.g., to an elevation of 15.8 ft NAVD with a 3 ft of sea-level rise allowance above the current 100-year flood level). Other flood proofing options include enclosing and water-proofing vulnerable equipment.

City of Del Mar public works yard. The City has an office building housing public works staff, a garage and work areas, and uses the public works yard for storage of City maintenance vehicles, equipment, and other supplies, some of which may be required to perform City services during or after flood and/or erosion events. The adaptation plan calls for beginning a process to relocate the public works yard to a location that is not flood-prone or to flood proofing it on its current site. Relocating or reconfiguring the public works yard also provides the opportunity to construct a portion of a new levee system south of the San Dieguito River to reduce flood risk in combination with restoring wetland and upland habitat on the public works yard as described as an adaptation measure in Section 4.4, San Dieguito River Flooding adaptation plan.

City of Del Mar sewer lift station. The sanitary sewer lift station along San Dieguito Drive is subject to extreme flooding with a 1% annual chance of occurrence. The potential consequences of flooding are high, as the flooding of the pump machinery could potentially cause pump failure. The adaptation plan calls for flood proofing the lift station as a near-term measure to reduce this risk, which will otherwise increase with sea-level rise. Flood-proofing could be accomplished by raising the lift station above the 100-year flood level (12.8 ft NAVD per FEMA 2016) with an allowance for future sea-level rise (e.g., to an elevation of 15.8 ft NAVD with a 3 ft of sea-level rise allowance above the current 100-year flood level). Other flood-proofing options include enclosing and water-proofing the pump motor and other vulnerable parts of the lift station.

City of Del Mar beach access points. Beach access points along the City's beaches from 15th Street north to the San Dieguito Lagoon mouth (North Beach) should be protected against storm surge and flooding.

Beach sand retention, replenishment, and management. The City's beaches from 15th Street north to the San Dieguito Lagoon mouth (North Beach) and all beaches adjacent to the bluffs provide a first line of protection against flooding and bluff erosion due to sea-level rise. Flooding in the beach area could affect hundreds of homes (single family, duplex, and multi-family dwelling units), public recreation facilities (basketball and tennis courts), public roads, the railroad right-of-way, and the fairgrounds. Bluff erosion would lead to increased risk of damage to the City's sewer,

drainage, and fiber-optic cabling along the bluff-tops. Chapters 7 and 8 provide details on vulnerabilities and adaptation options for bluff and beach erosion and ocean flooding.

Beach nourishment is a preferred adaptation option that can be acted upon as soon as possible based upon the findings and recommendations of the City's Sediment Management Plan. It has a strong potential to minimize flood damage and risk while helping to maintain the City's valuable broad beaches. Natural and non-structural sand retention strategies include adding berms in winter or establishing dune fields. Seasonal berming is a strategy the City has used for years with CCC approval. Sand is pushed into a berm in winter to help protect public and private property and to help maintain sand on the beach by moving it out of the regularly active surf zone. These activities should be continued and possibly expanded where designed to minimize sand loss in accordance with the Sediment Management Plan. Sand retention strategies, including groins, breakwaters, dune fields, seasonal berming, and artificial reefs, have limitations that must be studied carefully in the context of their benefits and the risks to the City's beaches. General benefits and limitations for sand retention strategies are given in Chapter 8, Section 8.1.2.

Sand Compatibility and Opportunistic Use Program. The City should obtain permits to establish a local SCOUP, which will help the City pursue opportunities for participation in regional beach nourishment programs and be ready to accept available sand when it is compatible for placement on the Del Mar beach.

Beach Retention Advisory Committee. Rather than wait until beaches shrink further due to changes in the river channels, flooding, erosion, and storm damage, the City should establish a BRAC. The committee would receive reports on monitored sand levels, beach width, and distance from bluff-top to infrastructure; assess adaptation options that replenish or retain sand; and recommend timely pro-active and, as needed, reactive actions. The committee would be further charged to study and report on the costs and expected lifespan of sand replenishment or retention interventions. Such a committee would be positioned to study the suitability of sand-retention strategies in the context of the City's Community Plan and other relevant guidance documents reviewed in Chapter 2, and receive feedback and suggestions from City residents and property owners. The BRAC could be realized initially as a subcommittee of the STAC.

CHAPTER 5

San Dieguito Lagoon Wetland Adaptation

This chapter includes a range of adaptation measures to address wetland habitat resiliency for the San Dieguito Lagoon. This chapter is relevant to the River Valley and San Dieguito Lagoon. Permitting for some adaptation measures may be processed through federal, state or City entities as summarized in Section 5.3.

Vulnerability Assessment

As sea level rises and flooding increases, the Lagoon will experience “habitat creep” as the various habitat ranges are more frequently flooded. For example, as existing wetland habitats experience more frequent flooding, vegetated wetland habitats will be “drowned out” and convert to intertidal mudflats and subtidal habitat.

Existing pickleweed marsh habitat could drown and be lost with 3 ft of sea-level rise unless the habitat bands are allowed and able to “migrate” upland as sea-level rise and flooding increase.

Cordgrass low marsh habitat could be lost with 3 to 5.5 ft of sea-level rise, such that almost all of the San Dieguito Lagoon Wetland Restoration would be converted to intertidal mudflat and subtidal open water.

Salt marsh habitats are expected to migrate upstream along the San Dieguito River with sea-level rise; however, the River corridor is relatively narrow and the overall vegetated marsh acreage will be greatly reduced.

Wetland Adaptation Options

- Allow/facilitate wetland conversion and transgression

- Sediment placement

- Wetland expansion/restoration

Wetland Adaptation Monitoring

- Wetland habitat loss

5.1 Adaptation Options

5.1.1 Adaptation Option: Allow/Facilitate Wetland Conversion and Transgression

Allowing and facilitating wetland conversion and transgression is an adaptation strategy that would allow wetlands to grow into higher elevation areas as sea-level rises. Wetland vegetation establishes in areas of certain elevations relative to the tidal water levels to achieve a certain frequency of tidal inundation. As sea-level rises, the frequency of inundation increases and plants in these elevation ranges drown out. However, the seeds of the next generation of plants can survive if they establish at higher elevations. In this way, wetlands can “migrate” or transgress upslope.

Allowing wetland transgression to happen naturally could be done in areas with existing transitional and upland habitat. In areas with development, wetland conversion could be facilitated by setting back infrastructure and development in certain key areas to leave room for marshes to migrate in the future. This could be done by setting policy that prevents any new development in the uplands surrounding wetland habitat.

Within the existing marsh basins in San Dieguito Lagoon, the salt marsh is expected to move upslope as water levels rise. However, the steep slopes will limit the amount of salt marsh in these areas. Salt marsh is also expected to move further upstream along the San Dieguito River to keep up with sea-level rise; however, the River corridor is relatively narrow and the overall vegetated marsh acreage will be greatly reduced. Acquiring upland areas near the existing marsh will be key to the sustainability of wetland habitat.

Table 5.1 summarizes benefits and constraints of allowing and facilitating wetland conversion and transgression. Creating space for wetlands to migrate will preserve wetland habitat until the rate of sea-level rise exceeds the migration rate. While allowing wetlands to migrate will provide more wetland habitat over time, this would come at the expense of transitional and upland habitats or developed areas. Wetlands also provide benefits such as flood and erosion protection and sequestration of greenhouse gases in the vegetation and wetted soils (see Appendix A for additional information).

TABLE 5.1
WETLAND CONVERSION AND TRANSGRESSION BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Preserves wetland habitat	Potential loss of upland and transitional habitat
Reduces flood and erosion risks	Potential loss of development area
Sequesters additional greenhouse gases in the new vegetation and soils	Less effective over time with increasing rates of sea-level rise
	Limited existing areas for transgression

A detailed San Dieguito Lagoon Wetland Habitat Migration Assessment has been performed to further assess the potential for San Dieguito Lagoon wetland habitats to migrate upstream and to upland areas adjacent to Lagoon to further develop adaptation measures that facilitate habitat migration. This assessment includes a spatial wetland migration analysis to identify areas where salt marsh habitats will or could migrate to. It also identifies and evaluates measures to preserve these potential habitat migration areas and corridors, including potential land acquisition, use designations, zoning buffers, setbacks, and conservation easements.

5.1.2 Adaptation Option: Sediment Placement

Sediment placement on the marshplain is an adaptation strategy that would allow wetland accretion to keep up with sea-level rise. Wetland vegetation establishes in very specific elevation zones relative to tidal water levels. If/when the tidal water levels increase, the vegetation needs to establish at higher elevations as well. This can either be done through natural transgression if there is accommodation space or by placing sediment to actually raise the surface elevations.

Sediment placement in a marsh is a relatively new, but promising adaptation measure. The first sediment placement project on the West Coast was completed in April 2016 at the Seal Beach Wetlands in Huntington Beach. Clean dredged material from the Huntington Harbor was placed in an 8-10 inch layer over a roughly 7 acre area (USFWS 2016, Figure 5.1). Monitoring is being completed to track the outcomes of the project and inform future projects.



SOURCE: USFWS 2016

Del Mar Coastal Adaptation Plan / 150347

Figure 5.1
Sediment Placement on the Marsh at Seal Beach

Table 5.2 summarizes benefits and constraints for sediment placement. Sediment placement would allow marshes to keep up with sea-level rise, reduce flood and erosion risks, and provide an opportunity for beneficial reuse of sediment. However, because sediment placement is a relatively new method, there are still many unknowns related to the impacts to the marsh. Additionally, permitting is likely to be challenging until this becomes a more common practice.

Placing sediment in wetlands requires careful and unique consideration, engineering, and construction. Over time, more and more sediment would need to be placed to keep up with sea-level rise, so sediment placement would become more expensive over time. Sediment placement has the potential to be compatible with river channel dredging as an integrated wetland/river flood management adaptation strategy.

TABLE 5.2
SEDIMENT PLACEMENT BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Preserves wetland habitat	Potential temporary impacts to the marsh
Reduces flood and erosion risks	Potentially challenging to permit
Option for beneficial reuse of sediment	More expensive way to dispose of sediment
	More expensive over time as increasing rates of sea-level rise will require more sediment

5.1.3 Adaptation Option: Wetland Expansion/Restoration

Wetland expansion or restoration is an adaptation strategy that increases the area of marsh. Restoration can range from planting native plants in upland or transition zones to significant grading of marsh plain or channels to achieve the appropriate elevations for tidal inundation. Restoration can be combined with allowing wetland transgression (Section 5.1.1) as upland and transitional areas become available. For example, grading channels into a site might be necessary to bring tidal waters further back, but revegetation could occur through natural recruitment.

Wetland restoration is compatible with levees-with-partial-retreat adaptation measures for river flooding, for example as described in Chapter 6. In this scenario, the transition and upland habitat areas could be designed to allow for wetland habitat migration with sea-level rise, thereby increasing wetland resiliency to sea-level rise.

Table 5.3 summarizes the benefits and constraints of wetland restoration. Creating new wetlands through restoration will preserve wetland habitat until the rate of sea-level rise is faster than the rate at which marshes can migrate. While restoring wetlands will provide more wetland habitat over time, this would come at the expense of transitional and upland habitats or developed areas.

Wetlands also provide benefits such as flood and erosion protection and sequestration of greenhouse gases in the vegetation and wetted soils.

TABLE 5.3
WETLAND EXPANSION/RESTORATION BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Creates new wetland habitat	Potential loss of upland and transitional habitats
Reduces flood and erosion risks	Potential loss of development area
Sequesters additional greenhouse gases in new vegetation and soil	Less effective over time with increasing rates of sea level rise

5.2 Wetland Adaptation Monitoring

The main criterion for initiating consideration and planning for wetland adaptation is habitat loss/conversion. With 2 ft of sea-level rise, existing high marsh (pickleweed) habitat is expected to drown out and move upslope into the existing transitional habitats. With 3 ft of sea-level rise, low marsh habitat (cordgrass) will move into areas that are currently mid marsh (pickleweed) and high marsh. As a result, mid and high marsh will be squeezed into the transition zone. With 5.5 ft of sea-level rise, all salt marsh habitat will be squeezed into the elevation band where transitional habitat occurs today, which is a smaller area than the existing wetland area.

Adaptation planning would be needed when existing high marsh converts to mid marsh and squeezes into the transition zone, which is likely to result in loss of high marsh habitat functions (e.g., loss of high tide refugia). As wetland conversion continues with sea-level rise, upland and transitional areas could be allowed to convert to marsh through wetland transgression. With enough sea-level rise (e.g., 1 ft of sea-level rise), this adaptation strategy is not expected to be effective and restoration in other higher elevation areas or placement of sediment in existing marshes would be needed. Table 5.4 provides sea-level rise thresholds and lead times to begin advance planning before adaptation measures could be in place to limit risk.

TABLE 5.4
POSSIBLE LEAD TIMES FOR PLANNING WETLAND ADAPTATION OPTIONS

Risk	Thresholds	Actions	Lead Times	Adaptation Options
Lagoon Wetlands	Pickleweed converting to cordgrass OR	Accommodate	5-10 years	Wetland conversion and transgression
	Cordgrass converting to mudflat OR	Protect	5-10 years	Sediment placement
	Mudflat converting to open water	Retreat	10-20 years	Wetland expansion, migration and restoration

5.3 Wetland Adaptation Coastal Permitting

The Coastal Development Permit review and approval for wetland adaptation measures may be processed by the City of Del Mar through the LCP and/or by the CCC, pursuant to the California Coastal Act. Additional approvals may be required from the U.S Fish and Wildlife Service (USFWS), or California Department of Fish and Wildlife (CDFW), the U.S. Army Corps of Engineers (USACE), the California State Lands Commission, the U.S. Coast Guard (USCG), the California Division of Boating and Waterways (DBW), and California Regional Water Quality Control Boards (RWQCB).

CHAPTER 6

San Dieguito River Flooding Adaptation

This chapter includes a range of adaptation measures to address vulnerabilities from flooding along the San Dieguito River, including the River Valley, Del Mar Fairgrounds, and North Beach (north from 15th St to the San Dieguito river mouth). Permitting for some adaptation measures may be processed through federal, state or City entities as summarized in Section 6.3.

The increased risk of San Dieguito River flooding is driven by changes in extreme precipitation and river discharge and increased deposition of sand in the river channel due to sea-level rise which would raise the elevation of the channel bed and the flood level. Increased channel deposition could occur as sea level rises, with waves and tidal flow driving an increase in sand transport “up” into the channel. Increased precipitation and river discharge will also increase flood levels.

Vulnerability Assessment

Roads and bridges, including Camino Del Mar road and bridge, Jimmy Durante Blvd. road and bridge, the railroad bridge, the North Beach District streets and San Dieguito Drive, will be highly vulnerable to flooding with 2 to 3 ft of deposition.

Low-lying central portions of the North Beach District (blocks bounded by Camino Del Mar, 28th St, and Railroad; general vicinity of Coast Blvd. and Santa Fe between 17th St. and 23rd St.), which currently have low vulnerability to river flooding, would be highly vulnerable with 2 to 3 ft of deposition.

The sewer lift station along San Dieguito Drive would be increasingly exposed to flooding and risk of failure.

Other water and sewer infrastructure, coastal access parking, and recreation areas including tennis and basketball courts in these areas would also be exposed to both river and coastal flooding.

The Fairgrounds west of I-5 will become highly exposed and vulnerable to flooding with 2 to 3 ft of sea-level rise and channel deposition.

River Flooding Adaptation Options

River channel dredging

Reservoir management

Levees

Elevate structures

Relocate public infrastructure

River Flooding Adaptation Monitoring

River channel deposition

Chance of extreme flooding

6.1 Adaptation Options

Del Mar's BPI was drafted and adopted by voters in 1988 to remove private seawall encroachments from public property while providing protection for ocean front homes from wave attack. To some extent, the seawalls provide the lower-lying landward properties protection from wave attack, but the primary risk to these properties is river water flooding. The adaptation options in this section provide mechanisms to protect Del Mar's low-lying homes from increased flood risk due to sea-level rise.

6.1.1 Adaptation Option: River Channel Dredging

River channel dredging maintains the channel bed near its current elevation and maintains the river flood risk near the current risk level. This could be accomplished using marine-based floating dredges and barges and/or land-based equipment operated from the channel bank. Assuming the dredged material is primarily sand, the dredged material could be placed on the beach to provide nourishment as a beach adaptation measure. Material could also be placed to raise the elevation of wetlands as a wetland adaptation measure (e.g., using "spray" dredging), especially for finer-grained dredged material.

SCE has dredged the River channel as part of the San Dieguito Lagoon Wetland Restoration. SCE dredged approximately 40,000 cubic yards of sand from the channel in 2011, 16,800 cubic yards in 2015, and approximately 19,000 cubic yards in 2017 to maintain the tidal flow (tidal prism) required by mitigation permits. SCE is required to maintain a minimum tidal prism, which is achieved by maintaining a certain minimum channel cross-section; however, the permits and maintenance program do not account for future sea-level rise or require a certain channel bed elevation to be maintained. With sea-level rise, the tidal prism could be maintained for the restoration, while the channel bed elevation and flood risk increase. Modifying the channel dredging program to maintain the channel bed elevation as a river flood adaptation measure may be needed.

As part of the Adaptation Plan, it is recommended that the City review ongoing channel survey data and deposition monitoring from the San Dieguito Lagoon Restoration and communicate with SCE on the channel dredging program to influence its benefit toward protecting City properties. It is encouraged that the City coordinate with SCE to identify optimal times and placements for dredging/beach nourishment, such that dredged material would remain in place on the beach for as long as possible based upon the findings and recommendations of the City's Sediment Management Plan. Past dredging has not been designed to optimize benefit to the beach and protection from flooding.

6.1.2 Adaptation Option: Reservoir Management

The City of San Diego’s Lake Hodges Reservoir controls flows from approximately 87% of the San Dieguito River watershed. The primary purpose of the Lake Hodges Reservoir is water storage; however, the Reservoir can provide ancillary flood management benefits. In the past, extreme river flooding has occurred when the reservoir is full and extreme rainfall runoff events overtop the dam spillway and are conveyed downstream. The majority of the extreme river discharge at Del Mar has been contributed by the flow spilling over the dam spillway, as occurred in floods in 1978 and the early 1980s.

In 2012, The San Diego County Water Authority (SDCWA) completed the Lake Hodges Projects that connected Lake Hodges to SDCWA’s new Olivenhain Reservoir for the purpose of improving water supply and storage (SDCWA 2016). The connection also allows water to be pumped back and forth between Hodges Reservoir and Olivenhain Reservoir (SDWCA 2016). While the primary purpose is water storage, the improved reservoir system and operations could provide improved flood management.

As part of the Adaptation Plan, the City can coordinate with the City of San Diego, SDCWA and the Olivenhain Municipal Water District (OMWD) to explore Olivenhain and Lake Hodges reservoir management and operations options for improving river flood management at present and with climate change. Increasing reservoir storage has the potential to at least partially offset the projected increase in River flood risk with climate change and sea-level rise-induced channel deposition. Storage volume could be increased through management of the Lake Hodges Project via pump operation or by dredging sediment from the reservoir that has been delivered by the River and accumulated in the reservoir. Dredging reservoir sediment could potentially be compatible with beach nourishment and wetland sediment placement adaptation measures. This approach is logical in that it moves sediment trapped in the reservoir to the coast, where it is needed and would have naturally deposited without the reservoir; however, there are a range of constraints and feasibility issues that would need to be considered including transporting (e.g., trucking) sediment.

6.1.3 Adaptation Option: Levees

Levees, such as engineered earth embankments, can be built along the river corridor up to elevations above flood levels to reduce the flood risk to areas behind the levees. The Adaptation Plan includes levees along the River flood corridor. Figure 6.1 illustrates how levees could be aligned with habitat restoration areas; specific locations of levees would require careful design, permitting and planning in conjunction with the Fairgrounds. The actual proposed levee alignments and wetland restoration areas would need to be planned in greater detail and would be different than shown in the example. The locations of the levees would also need to be assessed and planned in greater detail so that any levees tie into high ground.


The levees could be designed as “living levees” by creating gently-sloping upland, transition, and wetland habitats between the levee and the river (Figure 6.2). This approach is being adopted in wetland restoration practice to enhance habitat diversity and provide wetland buffers and high tide refuge. Higher elevation transition and upland areas also provide space for wetland to migrate to

with sea-level rise. Constructing living levees may be compatible with channel dredging if dredged material can be placed to build the habitat slope adjacent to the levee. Soil for levee construction would need to meet specific engineering criteria and may need to be imported from off-site.



Del Mar Coastal Adaptation Plan / 150347

Figure 6.1
Example to illustrate Living Levee along the San Dieguito River



SOURCE: USFWS 2016

Del Mar Coastal Adaptation Plan / 150347

Figure 6.2
Living Levee Cross Section

The levees would need to be planned and designed to avoid potential impacts to existing habitats, sediment transport, and flood levels upstream and downstream. By combining levees with habitat restoration, the intent would be to avoid construction in existing wetland areas and create new restored upland and wetland habitats that could mitigate for potential habitat impacts. The effects of levees and restored areas on river sediment transport, deposition, and scour during storm events would also need to be analyzed. For example, the effect of the San Dieguito Lagoon Restoration on sediment transport and the potential to reduce sand supply to the beach during storm events was an important consideration in the project evaluation and design. Constructing levees to protect portions of the City that would otherwise flood during storm events could potentially increase sand transport to the beach, however this would need to be fully evaluated. Confining river flows within a levee system also has the potential to increase flood levels upstream and downstream of the levee system, which would also need to be fully evaluated and addressed in planning and design. Within the levee system (i.e., between the levees), River flood levels would also likely increase and a plan and design to reduce any potential increase in flood risk to bridges crossing the river would need to be developed.

6.1.4 Adaptation Option: Elevate Structures

The ground floor elevation of homes and buildings or infrastructure such as roads can be raised to above river flood levels in the future, similar to the adaptation measure for raising structures to address North Beach coastal flooding, as described in Chapter 8. A key difference is that the area of potential river flooding is larger than the area of coastal flooding and a greater number of structures would be affected.

Raising roads and vulnerable utilities can be accomplished by placing fill to rebuild roads and replace utilities at higher elevations. Other options for raising roads and utilities may include replacing at-grade roads with pile-supported causeways. The Fairgrounds have proactively elevated structures they identified as vulnerable. Vulnerabilities to existing and planned railroad infrastructure will require coordination with NCTD and SANDAG.

As part of the City's existing floodplain management program, the City already requires that new construction in the current river floodplain be elevated above the existing 100-year river flood elevation to meet Federal Emergency Management Agency (FEMA) National Flood Insurance Program (NFIP) requirements. FEMA is in the process of revising the effective Flood Insurance Rate Maps and accompanying flood levels; however, the NFIP does not currently consider sea-level rise and climate change. The City can consider modifying floodplain development policies and regulations to address sea-level rise and facilitate elevating structures over time through redevelopment.

6.1.5 Adaptation Option: Relocate Public Infrastructure

The City can consider relocating public buildings, utilities, and other infrastructure as the river flood risk to public structures increases. For at-risk private property and structures, the City could consider incentives for facilitating relocation to allow for wetland restoration along the river. As

noted above, a greater number of public structures are within the river flood risk area than the coastal flood risk area.

6.2 River Adaptation Monitoring

The monitored criteria for river adaptation are channel deposition (e.g., driven by sea-level rise) and flood risk. Table 6.1 includes the projected increase in flood risk with sea-level rise/channel deposition and climate change from the Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016). These projections assume that deposition is not limited by sediment supply and that the river bed profile and flood profiles would increase in elevation with sea-level rise, with a rate and amount of deposition equal to the rate and amount of sea-level rise.

TABLE 6.1
PROJECTED RIVER FLOOD RISK WITH SEA-LEVEL RISE

Sea-level rise and channel deposition	0 ft	1ft	2 ft	3 ft	5.5 ft
Annual chance of extreme flooding (1% chance event)	1%	5%	6%	6%	20%
Annual chance of significant flooding (1980 event)	5%	15%	25%	50%	100%

Table 6.2 presents criteria to initiate planning for adaptation measures and anticipated extreme risk of flooding ranges over which measures will be effective. Based on the guiding principles, the flood risk criteria and thresholds are set to limit the risk of extreme river flooding and damage to less than 5% annual-chance of occurrence. Adaptation planning would be needed as river flooding and damage increases to 5%. The risk of more frequent, less severe, but still significant flooding such as the 1980 San Dieguito river flood event is estimated to currently be around 5% annual-chance. Adaptation to reduce extreme flood risk would reduce the risk of more frequent flooding. Table 6.2 provides estimated lead times to begin advance planning before adaptation measures could be in place to limit risk.

TABLE 6.2
POSSIBLE LEAD TIMES FOR PLANNING RIVER FLOODING ADAPTATION OPTIONS

Risk	Actions	Lead Times	Adaptation Options
River flooding	Protect	5-10 years	Channel dredging
		5-15 years	Reservoir management
		15-20 years	Levees
	Accommodate	5-10 years	Elevate structures
	Retreat	15-20 years	Relocate public infrastructure

6.3 River Adaptation Coastal Permitting

The Coastal Development Permit review and approval for river adaptation measures may be processed by the City of Del Mar through the LCP and/or by the CCC, pursuant to the California Coastal Act. Additional approvals may be required from the USFWS, CDFW, USACE, California State Lands Commission, USCG, DBW, and RWQCB.

CHAPTER 7

Bluff and Adjacent Beach Erosion Adaptation

This chapter includes a range of adaptation measures to address vulnerabilities from erosion of bluffs and their adjacent beaches. This is relevant to the South Bluffs, bluffs along South Beach including low bluffs fronting Powerhouse Park, and the North Bluffs. Permitting for some adaptation measures may be processed through federal, state or City entities, as summarized in Section 7.3

Vulnerability Assessment

With 1 ft of sea-level rise, the current localized vulnerability of the LOSSAN railroad to bluff erosion will increase and extend along almost the entire southern bluffs. The railroad would need to be moved inland or other adaptation measures, for example with underpinnings, caissons, or soldier piles, would be required to reduce the risk of the railroad collapsing.

If a seawall is constructed to protect the railroad, it will cause the beach to narrow and, over time, little to no beach will exist along the southern bluffs.

If the railroad is moved inland and bluff erosion is allowed to continue, bluff-top property and sewer infrastructure in South Beach and along South Bluff would be vulnerable to erosion with 2 ft of sea-level rise.

North Bluff properties and the low bluffs at Powerhouse Park would be similarly vulnerable to erosion.

Bluff Adaptation Options

- Beach nourishment and retention
- Best management practices (BMPs)
- Railroad relocation
- Relocate public infrastructure

Bluff Adaptation Monitoring

- Distance between coastal bluff edge and development
- Beach width adjacent to the bluffs

7.1 Bluff Adaptation Options

7.1.1 Adaptation Option: Beach Nourishment and Retention

Nourishing and retaining the sand on the beach below the southern bluffs could provide short-to-medium term benefits of maintaining a beach for ecology and recreational use and reducing wave runoff onto and erosion of the bluff toe. In the long-term, beach nourishment and retention may become more expensive if sand sources become limited or if the amount of sand required increases with sea-level rise. Current studies indicate dune restoration may not be an effective solution for reducing erosion of the bluff toe, as the beach is already squeezed in front of the bluff toe and sand placed for dune creation may not last. Additionally, beach nourishment and retention would not affect the erosion processes at the bluff top. Given the proximity of the southern bluffs to the Los Peñasquitos Lagoon inlet, the effects of beach nourishment and retention on the Lagoon inlet would need to be fully considered.

Beach nourishment for the North Bluff is not likely to be effective if limited to the City limit given the relatively short length of bluff shoreline and proximity to the San Dieguito Lagoon mouth; however, beach nourishment could be pursued in coordination with the City of Solana Beach. Table 7.1 summarizes benefits and constraints of beach nourishment adjacent to bluffs.

**TABLE 7.1
BLUFF BEACH NOURISHMENT AND RETENTION BENEFITS AND CONSTRAINTS SUMMARY**

Benefits	Constraints
Preserves beach	Limited sand resources
Reduces bluff toe risk	Less effective over time with increasing sea-level rise •
	Transportation of sediment to receiver sites
	Short-term beach use and ecology impacts

7.1.2 Adaptation Option: Best Management Practices (BMPs)

BMPs for reducing bluff erosion include management of surface drainage as well as shallow subsurface groundwater drainage to the bluff edge and face to control local erosion and slope failure due to drainage. The goal of these practices should be to control surface runoff and avoid concentrated flow down the bluffs, reducing shallow groundwater flow that saturates upper soils and facilitates erosion, and management of groundwater daylighting at geologic layers. NCTD and SANDAG are already employing surface and subsurface drainage control measures to reduce erosion.

In addition to these surface water and groundwater BMPs, the City could investigate whether over-watering of landscaping within the South Beach and bluffs along South Bluff could be contributing to elevated groundwater flows to the southern bluffs and whether reducing this irrigation could potentially reduce bluff erosion.

It is possible that public access down the bluffs could be contributing to increased bluff erosion, as people frequently walking down bluff foot paths may be de-stabilizing soil, both directly and by preventing vegetation from establishing on the paths given that vegetated bluff is more erosion-resistant than bare soil. Access down the southern bluffs by crossing the LOSSAN railroad track or walking along the tracks is unauthorized; however, multiple paths down the bluffs are currently used. Public access and associated bluff erosion (if any) could be controlled by installing authorized pedestrian crossings of the railroad, with pedestrian under-passes (or over-passes), and constructing stairways down the bluffs to the beach. The Adaptation Plan recommends exploring one or more authorized railroad crossings and vertical access paths down the southern bluffs to reduce erosion. For example, two crossings and pathways could be installed at 7th and 11th Streets, where there is more space between the railroad tracks and the top of the bluff. Railroad crossings and beach access stairways are difficult to implement and feasibility may be challenging. Even so, the City should investigate these and/or other options together with NCTD and SANDAG as part of the Adaptation Plan.

Revegetating/restoring bluff vegetation on existing pathways may be effective in reducing erosion. New vertical crossings and pathways (e.g., stairways) could be installed to replace beach access via bluff-side pathways. A program to restore/revegetate large sections of the bluffs with more erosion-resistant vegetation could potentially de-stabilize the bluffs during installation and/or the period over which plants are establishing.

7.1.3 Adaptation Option: Railroad Relocation

The LOSSAN railroad track is currently at risk of bluff erosion, which is why NCTD and SANDAG have installed bluff stabilization projects. Removing the LOSSAN railroad track from the southern bluffs and relocating the track to an inland tunnel or other location would allow the natural processes of landward bluff erosion and beach migration to occur. While bluff erosion is not the only source of sand to the beach below, bluff erosion will continue to supply sand to the beach, in turn increasing the buffer the beach provides from wave action on the bluff toe.

The SANDAG 2050 Regional Transportation Plan (SANDAG, 2011) includes plans to remove and relocate the railroad; however, implementation of the planned project is not currently funded. The City supports railroad relocation as part of SANDAG plans and as a matter of City policy. The City Community General Plan (1976) includes zoning that designates the railroad property and right of way as a future open-space park area.

The City's current zoning and LCP includes a Railroad land use designation for the railroad property and right-of-way. The Railroad designation allows railroad facilities and related structures provided a Conditional Use Permit is obtained from the City and is in full force and effect;

however, this process is not currently followed by NCTD, SANDAG, and the City. The railroad right-of-way is complex. Rail operations engaged in interstate commerce are considered not subject to state or local permit jurisdiction. Even so, the right-of-way is located within the current LCP's SPA line and Beach Overlay Zone.

Railroad relocation would allow landward bluff erosion in order to maintain the beach below and the natural character of the Del Mar bluffs and beach. Currently, about 50 trains per day use the rail line, and SANDAG plans to increase this number to over 100 trains per day with double tracking of the corridor. On average, about 12 people per year are killed by trains in the San Diego corridor. Railroad relocation would further rail safety and operations, address an immediate safety problem, eliminate the need for reduced speeds due to bluff instability and service interruptions due to bluff inspections, and make increased traffic more feasible.

7.1.4 Adaptation Option: Relocate Public Infrastructure

After railroad relocation, the bluff will continue to erode landward through the current location of the railroad. With 1 ft of sea-level rise or more, the bluff is projected to erode and threaten buildings, roads, and the sewer line along the bluff landward of the railroad. The LCP as amended by the BPI allows sea walls only as a last resort within the SPA and Beach Overlay Zone. The City can consider relocation of public buildings, utilities, and other infrastructure as the bluff erosion risk to public structures increases. Proactively, the City could consider options for facilitating public infrastructure removal where there is a public benefit, such as removing public structures to restore or preserve bluff trails or parks. As the low bluffs along Powerhouse Park erode due to sea-level rise, an option would be to armor in the short run to preserve the park for public use, but the armoring will become expensive and less effective with extreme levels of sea-level rise and would accelerate beach erosion.

7.2 Bluff Adaptation Monitoring

The criteria to initiate consideration and planning for bluff adaptation is the distance between the bluff top edge and the bluff top asset. A minimum buffer distance is based on an approximate structural buffer distance between the bluff top and a structure, which is required to provide enough bluff width to laterally support the structure. A structural buffer distance of approximately 10 ft is used based on a SANDAG study (Leighton & Associates 2010) of the distance within which bluff erosion presents a risk to railroad track stability (per the Coastal Hazards, Vulnerability, and Risk Assessment). The minimum buffer distance between the bluff top edge and a bluff top asset includes an additional safety buffer based on the approximate width of bluff that could collapse in a single erosion event. Adding this safety buffer to the structural buffer allows for the occurrence of an erosion event after monitoring criteria threshold has been reached and while the adaptation measure is being planned and implemented. A safety buffer of approximately 25 ft is used based roughly on the July 13, 2016, bluff collapse near 10th Street (Figure 7.1). Actual bluff top recession during this event is to be determined and may have been between 5 and 20 ft. To summarize, the minimum buffer distance is based on the following:

Structural buffer distance = 10 ft

Safety buffer distance = 25 ft

Minimum buffer distance = structural buffer distance + safety buffer distance = 35 ft

These projected distances provide an indication of the amount of sea-level rise at which minimum buffer distances would be insufficient for some portion or all of the railroad, rows of buildings, and the sewer line. With 1 ft of sea-level rise, additional adaptation (e.g., beach nourishment and retention and/or BMPs) is expected to be required to reduce the risk of erosion to the railroad. If and when the railroad is relocated and the bluff is allowed to erode, adaptation would be required to reduce the risk to some public infrastructure including sections of the sewer line (e.g., south of Seagrove Park and near 10th Street) with 1 ft of sea-level rise. With 3 ft of sea-level rise, the following assets are expected to be at risk: portions of the sewer line; and the entire railroad along the bluffs. This indicates that the railroad may need to be relocated by or before this point (depending on the effectiveness of beach nourishment and BMPs). Table 7.2 shows the approximate projected distance between the bluff top and the railroad, the first and fourth rows of buildings, and the sewer line along the bluffs with sea-level rise (distances below the minimum of 35 ft shown in red indicate potential need for bluff erosion adaptation for some or all of asset class). The sewer line changes locations along the Del Mar bluff. It is located between the railroad and the first row of buildings in some areas and between or under first to fourth row buildings in other areas. Table 7.2 shows distances for areas where the sewer is located east of the first row of buildings.



Del Mar Coastal Adaptation Plan / 150347

SOURCE: USFWS 2016

Figure 7.1
Bluff Collapse near 10th St. in Del Mar on July 13, 2016

Projections in Table 7.2 are approximate and could be greater or less due to uncertainties. Actual distances will be monitored over time as part of the Adaptation Plan process. Table 7.3 provides lead times to begin advance planning before adaptation measures could be in place to limit risk.

TABLE 7.2
PROJECTED DISTANCES FROM BLUFF TOP TO RAILROAD, SEWER LINE,
1ST AND 4TH ROWS OF BUILDINGS WITH SEA-LEVEL RISE
(FOR AREAS WITH SEWER BETWEEN BUILDINGS)

Sea-level rise:	0 ft	1 ft	2 ft	3 ft	5.5 ft
Railroad	15 - 110 ft	0 - 70 ft	0 - 40 ft	0 - 10 ft	0 - 0 ft
1 st row	40 - 170 ft	0 - 140 ft	0 - 120 ft	0 - 80 ft	0 - 0 ft
Sewer	65 - 175 ft	10 - 190 ft	0 - 150 ft	0 - 100 ft	0 - 50 ft
4 th row	270 - 450 ft	170 - 340 ft	140 - 300 ft	100 - 280 ft	10 - 210 ft

TABLE 7.3
POSSIBLE LEAD TIMES FOR PLANNING BLUFF EROSION ADAPTATION OPTIONS

Risk	Actions	Lead Times	Adaptation Options
Bluff erosion	Protect	5-10 years	Beach and dune nourishment
		5-15 years	BMPs (e.g., access, vegetation, irrigation)
	Retreat	15-20 years	Relocate railroad
		15-20 years	Relocate sewer, storm drains, fiber optic cables

As bluff erosion continues with sea-level rise, the beach below the bluffs could be nourished to reduce erosion at the bluff toe and improve beach access, aesthetics, and habitat function. BMPs could also be implemented to reduce bluff erosion, such as installing vertical access paths (e.g., stairs) down the bluffs with authorized railroad under-pass (or over-pass) crossings and pursuing studies and measures to potentially reduce irrigation and groundwater flow-related erosion effects. With enough sea-level rise (e.g., 2 ft of sea-level rise), these adaptation strategies are not expected to be effective and the railroad would need to be relocated. Relocating the railroad would provide some buffer within which bluff erosion could occur without posing a risk to landward assets; however, public infrastructure, such as portions of the sewer line, would also likely need to be relocated.

7.3 Bluff Adaptation Coastal Permitting

The Coastal Development Permit review and approval for bluff adaptation measures may be processed by the City of Del Mar through the LCP and/or by the CCC, pursuant to the California Coastal Act. Additional approvals may be required from the USFWS, CDFW, USACE, California State Lands Commission, USCG, DBW, and RWQCB.

CHAPTER 8

Beach Erosion and Flooding Adaptation

This chapter includes a range of adaptation measures to address vulnerabilities from beach erosion and flooding in North Beach (north from 15th street to the San Dieguito Lagoon mouth). The beach level community in the City of Del Mar comprises a century-old beach front neighborhood that is fully developed with approximately 600 properties in a densely populated area, a major U.S. coastal route (101), and railroad tracks supporting commuter and interstate passenger and freight traffic. It serves visitors with direct public beach access at each street from 15th to 29th. Permanent lifeguard towers with public restrooms at 17th St, 20th St, & 25th St are supplemented with temporary towers during busy tourist seasons. This region has unique neighborhood features, topographies, and vulnerabilities. It is already subject to both coastal and river flooding. The homes and public infrastructure throughout the area benefit from seawalls along almost the entire beachfront. The oceanfront homes have a higher elevation than homes to the east, where elevations decline from the oceanfront development eastward toward the LOSSAN rail line. The beach in this area is an important part of Del Mar's continuous, wide, walkable beach that stretches over two and a half miles from near Los Peñasquitos Lagoon on the south to San Dieguito Lagoon to the north. Permitting for some adaptation measures lies within the jurisdiction of federal, state or City entities, as summarized in Section 8.3.

Vulnerability Assessment

Public access along the beach (horizontal access) will be lost due to beach erosion with 1 to 2 ft of sea-level rise.

Beach erosion and coastal storms will threaten sea wall integrity and increase flooding and storm damage.

Low-lying roads and properties in North Beach will be highly vulnerable to coastal and river flooding, including the blocks between Ocean Front and Camino Del Mar/Coast Blvd and the blocks directly east of Camino Del Mar/Coast Blvd.

The present low to moderate vulnerability to coastal flooding and wave damage will become a high vulnerability with 1 to 2 ft of sea-level rise, for low-lying roads and properties in North Beach, including the City's 17th St Beach Safety Center.

Beach Adaptation Options

Beach and dune nourishment

Sand retention

Raise/improve sea walls and revetments

Elevate structures
Relocate public infrastructure

Beach Adaptation Monitoring

Beach width
Flooding and storm damage frequency

8.1 Beach Adaptation Options

8.1.1 Adaptation Option: Beach and Dune Nourishment

Widening North Beach would reduce the risk of flooding and erosion of property along the beach. However, the width of the beach will diminish with time and sea-level rise, requiring an ongoing cycle of “re-nourishment” to maintain beach width. As sea level rises, the frequency of required nourishment is likely to increase, because, in addition to widening the beach to offset erosion, additional sand will be needed to raise the elevation of the beach up to the increased sea level. For all these reasons, beach nourishment should be considered in conjunction with sand retention measures (Section 8.1.2).

The dominant direction of sand transport along the Del Mar coast is from north to south. Beach nourishment could therefore contribute to closure of the Los Peñasquitos Lagoon inlet to the south, and could also affect the San Dieguito Lagoon inlet to the north (during south swells that transport sand from south to north). With sea-level rise, increased sediment supply through beach nourishment may be a net benefit to the extent that it mitigates rapid shoreline and ecological changes. Beach nourishment may be effective with up to 2 feet of sea-level rise, and potentially more, depending on variables such as the availability of sand sources and funding, and whether neighboring beaches are also being nourished. Thus, the Adaptation Plan prioritizes beach nourishment as the primary and immediate strategy for Del Mar’s North Beach area. Table 8.1 summarizes benefits and constraints of beach and dune nourishment.

TABLE 8.1
BEACH AND DUNE NOURISHMENT BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Preserves beach	Limited sand resources
"Living shoreline" provides beach and dune habitat	Less effective over time with increasing sea-level rise
Reduces flood and erosion risks	Transportation of sediment to receiver sites
	Beach use and ecology impacts

Placement of sand typically provides a temporary benefit until the sand erodes and migrates away from the placement area. It is therefore important to consider the fate of the sand and implications of deposition in other areas. In general, increased sand supply is considered beneficial to most

beach areas, but can be problematic at lagoon inlets and storm drain outlets. Sand deposition on rocky substrate may adversely affect habitat and recreation. The dominant direction of sand

transport along the Del Mar coast is from north to south. Beach nourishment could therefore contribute to closure of the Los Peñasquitos Lagoon inlet to the south, and could also affect the San Dieguito Lagoon inlet to the north (during south swells that transport sand from south to north). However, with sea-level rise, increased sediment supply through beach nourishment may be considered a net benefit in terms of mitigating rapid shoreline and ecological changes.

8.1.2 Adaptation Option: Sand Retention

Sand retention measures include structures that prevent sand transport away from the beach and encourage sand deposition on the beach. Types of structures include the following:

Groins: These structures serve to maintain a wider beach, but have the potential to diminish horizontal access along the beach. Constructing groins and other structures on the beach or in the ocean typically requires habitat mitigation (e.g., restoration of comparable habitat in another location) and could alter the character of Del Mar’s natural shoreline. New groin designs may become available in the future, so this option should be evaluated over time.

Breakwaters: These structures maximize wave reduction and sand retention, but can disrupt and alter wave patterns and interfere with surfing resources, which may negatively impact Del Mar. Current permitting and mitigation requirements, and the degree of potential negative impacts, may restrict use of breakwaters as an adaptation measure. New breakwater designs may become available in the future, so this option should be evaluated over time.

Artificial reefs: These structures create rocky reef habitat and have potential to enhance surfing resources; however, using artificial reefs to retain sand and enhance surfing is still in the experimental phase of development. Reefs have been investigated, constructed, and tested in various locations, including Orange County. Successful reef installation remains a work in progress to date. New reef designs may become available in the future to ensure that reef implementation will provide the intended benefits, so this option should be evaluated over time.

Table 8.2 summarizes benefits and constraints of sand retention measures.

TABLE 8.2
SAND RETENTION MEASURES, BENEFITS, AND CONSTRAINTS SUMMARY

Type of sand retention structure	Benefits	Constraints
All	Retain sand	Require mitigation
Groins	Maintains wider beach	Affects horizontal access along beach
Breakwater	Maximizes wave reduction and sand retention	Destroys surfing resources
Artificial reefs	Creates rocky reef habitat Potential to enhance surfing resources	Experimental / limited experience

8.1.3 Adaptation Option: Sea Walls and Revetments

The existing sea walls and rip rap along North Beach provide flood and erosion protection for beachfront properties during typical storms and seasonal erosion. During severe storms, which can be coupled with severe seasonal erosion of the beach, waves can overtop the protective structures as in March 2016 (Figure 8.1) and cause damage as in the 1983 El Niño storm event (Figure 8.2). Improving North Beach sea walls and revetments provides an adaptation measure to offset the increase in flood risk with sea-level rise. This could be accomplished by adding a new section of sea wall or rock to the top of the existing walls/revetments; however, doing so may require significant modifications or a rebuilding of the existing walls/revetments. While beach access points along the City's beaches from 15th Street north to the lagoon can be currently protected with seasonal berms, it may be important to consider improved sea wall protection for these locations.



SOURCE: USFWS 2016

Del Mar Coastal Adaptation Plan / 150347

Figure 8.1
Overtopping in Del Mar on March 8, 2016

While sea walls and rip rap provide protection to the existing property slopes, these structures can contribute to erosion and accelerate beach loss when the beach width narrows and wave runup frequently reaches the structure. As the beach narrows and sea-level rises, wave runup and overtopping of the sea wall structures will also increase as the waves begin to break near or on the structures, and will require more frequent maintenance or reconstruction. With ongoing beach erosion and sea-level rise and without any other mitigating measures, fixing the shoreline location

in one place with a sea wall or revetment will eventually lead to the loss of the beach seaward of the structure.

Sea wall and revetment construction is regulated by the Coastal Act and Del Mar LCP. The Coastal Act and LCP, which includes Del Mar’s BPI, allow for construction and maintenance of sea walls or revetments when necessary to protect existing structures or public beaches in danger

from erosion, when designed to eliminate or mitigate adverse impacts on the local shoreline sand supply. New development may not rely upon protective devices (e.g., sea walls and revetments) that would substantially alter natural landforms.

Raising of the height of existing seawalls and revetments will eventually be required to maintain the existing level of flood protection as the beach elevation increases with sea-level rise and where beach nourishment is consistently used to maintain the sandy beach. Table 8.3 summarizes benefits and constraints of raising/improving sea walls and revetments.



SOURCE: USFWS 2016

Del Mar Coastal Adaptation Plan / 150347

Figure 8.2
Coastal Damage Following 1983 Storm

TABLE 8.3
RAISE/IMPROVE SEA WALLS AND REVETMENTS BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Protects property and reduces flood and erosion risks for the design lifespan and conditions	Potential for loss of beach with sea-level rise and without other measures
"Holds the line" and buys time to implement other adaptation measures	Potentially accelerates beach erosion with sea-level rise

In Del Mar, currently provides protection for properties throughout North Beach

May require more frequent maintenance or reconstruction with sea-level rise

Level of protection provided decreases with loss of beach

8.1.4 Adaptation Option: Elevate Structures

The ground floor elevation of homes and buildings or infrastructure such as roads can be raised to elevations above projected sea-level rise flood levels (e.g., the 100-year flood level plus an allowance for sea-level rise) to reduce the risk of flooding with sea-level rise. Raising structures can include raising vulnerable buildings on pile foundations; however, there may be challenges with building height restriction, earthquake code compliance, and other building codes. Further, while raising oceanfront structures could have potential to allow for some limited migration and persistence of a fronting beach, if it were done without accompanying beach and dune nourishment, shoreline migration would likely damage roads, infrastructure, and the many lower lying properties east of the shoreline.

Raising existing homes may not be feasible from an engineering and cost perspective, but is more feasible for new construction. However, this is likely an “all or nothing” plan, where the ocean ebb and flow and resulting shoreline migration would need to be enabled under all structures in the beach zone. If some structures are raised on pilings and others are not, the structures that are not raised are likely to be even more impacted and compromised by the lack of impediments to the ebb and flow of the ocean and migrating shoreline.

Building design and construction can be modified so that the second floor is above the target flood level and contains all flood-sensitive features, while the first (ground level) floor is used for parking and/or storage and is designed to be durable and resilient to flood damage. While this type of design is feasible for new construction, it may be unfeasible from a cost and engineering perspective as a retrofit to existing structures.

Raising roads can be accomplished by placing fill to rebuild roads at higher elevations. Utilities, that are vulnerable to flooding, erosion, or increased ground water levels with sea-level rise, such as sewer pipelines and storm drains, which are often buried along roads, can also be raised. Other options for raising roads and utilities may include replacing at-grade roads with pile-supported causeways. Table 8.4 summarizes the benefits and constraints of raising structures.

TABLE 8.4
RAISING STRUCTURES BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Protects vulnerable structures	Beach erosion and flooding continues to migrate inland, requiring additional adaptation

8.1.5 Adaptation Option: Relocate Public Infrastructure

The City can consider relocation of public buildings, utilities, and other infrastructure as the risk to public structures increases with sea-level rise. Proactively, the City could consider options for

facilitating structure removal where there is a public benefit, such as removing structures to restore beach areas or parks. The roads and utilities in North Beach are located east of the oceanfront seawalls, so their more immediate vulnerability is flooding from the river.

8.2 Beach Adaptation Monitoring

Criteria to be monitored for beach adaptation include changes in risk or chance of extreme coastal flooding and storm damage, and approximate beach widths. Projected flood and damage risks and beach widths with sea-level rise and without adaptation are based on the Coastal Hazards, Vulnerability, and Risk Assessment (ESA 2016). With greater than 1 ft of sea-level rise and no adaptation, winter/spring beach widths are not anticipated to be great enough to provide a walkable beach or storm protection, and the risk of flooding and damage are anticipated to exceed an acceptable level. Therefore, thresholds for initiating consideration and planning of beach adaptations are any of the following:

- Flood and damage risk approaching a moderate level (5% annual chance of extreme flooding and damage)
- Average or successive winter beach widths approaching 25 ft
- Average or successive summer beach widths approaching 80 ft

Once adaptation measures are implemented to increase beach widths and/or reduce flood/damage risks, then the flood risk would be estimated for the adapted condition assuming future sea-level rise. Increasing flood/damage risks and decreasing beach widths would then continue to be monitored and compared against the beach width thresholds above. Table 8.5 shows projected beach widths with increasing chance of extreme flooding/damage.

TABLE 8.5
PROJECTED BEACH WIDTH WITH INCREASING CHANCE OF EXTREME FLOODING/DAMAGE

Annual chance of extreme flooding/damage (1983 event)	1%	5%	15%	50%	100%
Summer/fall beach width	120 ft	80 ft	34 ft	0 ft	0 ft
Winter/spring beach width	65 ft	25 ft	0 ft	0 ft	0 ft

Other beach adaptation criteria may be considered or added through further refinement, application, and re-evaluation of the Adaptation Plan, which could include the following:

- Beach elevation at the toe of the sea walls and revetments to serve as an indication of the exposure of the structure to wave action.
- Risk of sea wall failure.

As the beach narrows with sea-level rise, the beach and dunes could be nourished to improve beach access, aesthetics, and habitat function, as well as limit future damages in areas that are eroded during storm events. Even so, it must be noted that with enough sea-level rise (e.g., 3 ft, corresponding to 50% chance of extreme flooding), the shoreline adaptation measures that would be required to maintain existing structures would be insufficient. The ground floor elevation of

beachfront and adjacent homes and buildings could instead be raised. Table 8.6 provides lead times to begin advance planning before adaptation measures could be in place to limit risk.

TABLE 8.6
POSSIBLE LEAD TIMES FOR PLANNING BEACH EROSION ADAPTATION OPTIONS

Risk	Actions	Lead Times	Adaptation Options
Beach erosion	Protect	5-10 years	Beach and dune nourishment
		10-15 years	Raise and improve sea walls
		15-20 years	Sand retention strategies
	Accommodate	5-10 years	Elevate structures
	Retreat	15-20 years	Relocate public infrastructure

8.3 Beach Adaptation Coastal Permitting

The Coastal Development Permit review and approval for beach adaptation measures may be processed by the City of Del Mar through the LCP and/or by the CCC, pursuant to the California Coastal Act. Additional approvals may be required from the USFWS, CDFW, USACE, California State Lands Commission, USCG, DBW, and RWQCB.

APPENDIX A

Carbon Sequestration in Wetlands

Coastal wetlands, including mangroves, tidal marshes, and seagrasses, are highly productive and valuable ecosystems that contribute an important part of regional and global carbon cycles. The concept of “coastal blue carbon” recognizes that improved management of marshes, mangroves, and seagrasses can result in protection of vulnerable stocks of sequestered atmospheric carbon dioxide (CO₂), now held in biomass and soils, and ongoing sequestration capacity. Particular focus has centered on wetlands, which occupy less than 2% of the ocean surface, but represent almost 50% of the ocean’s transfer of carbon to burial in sediment sinks (Duarte et al. 2005).


To calculate greenhouse gas (GHG) emissions and removals, the Intergovernmental Panel on Climate Change (IPCC) developed guidance on how to incorporate management of wetlands within national accounts of GHG emissions (IPCC 2014). Using the IPCC guidance, a GHG accounting framework could be developed for Del Mar to quantify future changes in GHG fluxes due to sea-level rise and different coastal management strategies. Changes in CO₂ and methane (CH₄) fluxes¹ can be estimated over time as habitats evolve as a result of sea-level rise. To calculate these values, the framework would use locally and/or regionally appropriate values or estimates of biomass, soil carbon sequestration rates, and methane emission rates for each habitat type to estimate GHG fluxes based on land use changes (habitat acreages over time).

With sea level rise, existing wetland habitats in Del Mar will be inundated more frequently and vegetated wetland habitats will be “drowned out” and convert to intertidal mudflats and subtidal habitat. Existing pickleweed marsh habitat could drown out and be lost by 2070. Cordgrass low marsh habitat could be lost by 2090, such that almost all of the San Dieguito Lagoon Wetland Restoration would be converted to intertidal mudflat and subtidal open water. Salt marsh habitats are expected to migrate upstream along the San Dieguito River with sea level rise; however, the River corridor is relatively narrow and the overall vegetated marsh acreage will be greatly reduced.

Using habitat acreages, changing carbon stocks can be tracked through time as sea level rises and marshes migrate inland. For example, when land is covered with vegetation, there is a stock of carbon in the biomass and the soil, and the soil carbon increases according to the soil sequestration rate of the habitat, due to the incorporation of dead organic matter back into the soil (Figure A.1). When a habitat converts to another habitat (e.g., from transition habitat to salt marsh), aboveground biomass changes (may increase or decrease) due to the different type of vegetation, and soil sequestration continues, but at the rate of the new habitat type (Figure A.1).

¹ A GHG flux is the combination of emissions and removals of GHGs.

With sea-level rise, when salt marsh converts to mudflat, aboveground biomass is lost and soil sequestration halts, but some soil carbon stored prior to the conversion remains sequestered within the mudflat (Figure A1).



Del Mar Coastal Adaptation Plan / 150347

Figure A.1
 Conceptual Model of GHG Accounting Framework

NOTE: This is an example and does not show all possible habitat conversions. Mean sea level shown for reference only. Time between transitions is not specified and depends on land elevations, rate of sea level rise and accretion rate.

References

- Duarte, C.M., Middelburg, J.J. & Caraco, N. 2005. Major role of marine vegetation on the oceanic carbon cycle. *Biogeosciences*, 2, 1–8.
- IPCC. 2014. 2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands. Methodological Guidance on Lands with Wet and Drained Soils, and Constructed Wetlands for Wastewater Treatment.

APPENDIX B

STAC's Analysis

Coastal Processes and Human Adaptations

As STAC evaluated Del Mar's vulnerabilities and adaptation options, committee members collected and summarized reference materials to provide context specific to Del Mar. Particular emphasis was placed on the need for references relating to the movement of sand along the Del Mar shoreline in the interim while the City's consultant, Environmental Science Associates, performed the data collection, analysis, and preparation of a Sediment Management Plan specific to Del Mar. Sand replenishment and beach nourishment emerged as high priorities during STAC's nearly three-year evaluation (see Adaptation Plan Chapter 4). This Appendix summarizes reference materials on the Oceanside Littoral Cell and the implications of human intervention, including sediment management, beach nourishment and the construction of groins, breakwaters, and seawalls. References are provided at the end as pointers to supplementary materials for readers of the Adaptation Plan. The material summarized here provided background and context for STAC during Phase 1 of the STAC process.


B.1 Oceanside Littoral Cell

Coastal processes drive the movement of littoral sediment, leading to beach erosion, beach stability, or beach accretion. Coastal erosion and accretion has always existed and these Coastal processes have long contributed to the present coastline. The California coast can be separated into discrete geographic areas called littoral cells. Littoral cells are the areas where sediment moves in various directions along the coast. Other features such as submarine canyons and headlands are also part of the coastal environment. The littoral cells within San Diego County (Figure B.1) are the Oceanside Littoral Cell to the north, the Mission Bay Littoral Cell, and the Silver Strand Littoral Cell. Patsch et al (2007) provides a broad overview the Oceanside littoral coastal processes as follows:

“The Oceanside littoral cell extends approximately 50 miles from Dana Point Harbor south to La Jolla and Scripps Submarine Canyons. The large Oceanside Littoral Cell is artificially divided by Oceanside Harbor's north jetty, which effectively eliminates significant transport of littoral sand from the northern portion of the littoral cell to down coast of the Harbor. The shoreline of this cell consists of a continuous, narrow beach backed by sea cliffs or bluffs with the exception of the mouths of coastal rivers, streams, and harbors. Rocky headlands form the northern and southern boundaries of this cell. Sand entering the Oceanside littoral cell moves southward in the direction of the net alongshore transport and eventually enters the heads of La Jolla and Scripps submarine

canyons, which are within a few hundred yards of the shoreline, just offshore from Scripps Institution of Oceanography. These canyons extend offshore in a southwesterly direction for approximately 33 miles, eventually depositing sediment into San Diego Trough, although it is widely believed that La Jolla Submarine Canyon is not a functioning sink for beach sand at the present time.”¹

“San Juan Creek and the Santa Margarita, San Luis Rey and San Dieguito rivers are the major sources of fluvial sand to the Oceanside littoral cell. San Juan Creek and the Santa Margarita and San Luis Rey rivers each contribute on average ~40,000 cubic yards/yr of sand, while the San Dieguito River contributes an average of ~12,500 cubic yards/yr of sand to the littoral budget (sediment coarser than 0.0625 mm). The Santa Margarita, San Luis Rey and San Dieguito rivers have had their natural sand yields reduced by 31%, 69% and 79%, respectively, (a reduction of ~154,000 cubic yards/yr) through damming. Fluvial sources originally provided ~66% of the sand to this littoral cell. Post-damming, the rivers now provide only ~33% of sand to the overall littoral cell budget.”¹



Del Mar Coastal Adaptation Plan / 150347

Figure B.1
Littoral Cells within San Diego County

Large portions of the Oceanside littoral cell consist of sea cliffs and bluffs that range in height from 25 to 100 ft. The Torrey Pines area has cliffs and bluffs which reach heights of over 300 ft. In the Oceanside cell, approximately twenty percent of the sea cliffs have some type seawalls or revetments. Up to 80% of the sand from the erosion of sea cliffs and bluffs is of the grain size or that contributes directly to the coastal beaches. Table B.1 from Patsch et al (2007)¹ provides details on cubic yards (cy) of sand per year (yr) contributed to the Oceanside littoral cell from major sources. The difference in contribution from rivers indicates reductions in sand sources to the Oceanside littoral are due to the damming of rivers and the armoring of sea cliffs. As described by Leighton and Associates (2001):

“Since 1919, dams have been built across all the major rivers systems in San Diego County that provides sediment to the beaches. With the construction of Lake Hodges in 1919, the effective sediment producing area of the San Dieguito River watershed was reduced from 346 square miles to 43 square miles. We can conclude that the beach width generally ha[s] been reduced since 1910 when the railroad was placed on the bluffs”.

TABLE B.1
OVERALL SAND CONTRIBUTIONS AND REDUCTIONS SINCE 1910 TO THE OCEANSIDE LITTORAL CELL¹

Inputs	Natural (cy/yr)	Actual (cy/yr)	Reduction (cy/yr)
Oceanside Littoral Cell			
Rivers	286,500 (66%)	132,500 (33%)	154,000 (54%)
Bluff Erosion	118,000 (27%)	100,000 (25%)	18,000 (15%)
Gully/Terrace Erosion	31,500 (7%)	31,500 (7%)	0
Beach Nourishment		138,000 (34%)	+ 138,000 (0%)
Total Littoral Input	435,700 (100%)	401,700 (100%)	34,000 (8%)

Patsch et al (2007) provides a description of the reductions in the sand budget in the Oceanside littoral as follows:

“‘Actual’ sand yield refers to the estimated volume of sand reaching the coast under present day conditions taking into account reductions in sand supply from dams and sea cliff armoring as well as additions (e.g., sand provided by the dredging of Oceanside Harbor) to the budget from beach nourishment. In total, beach nourishment (not including bypassing from Oceanside Harbor) has provided approximately 7.2 million cubic yards of fill on the beaches in this cell, which is approximately 138,000 yd³/yr over the last 65 years (1940-2005), representing 34% of the sand in the overall littoral budget. There appears to be a significant reduction in sand input to the cell compared to the original natural conditions as a result of most of the historic sand nourishment took place several decades ago.”¹

“Loss of sand from the region’s beaches has occurred continually since:

Implementation of flood control and other infrastructure throughout the coastal watersheds that reduces supply of sand from rivers;

Construction of Oceanside Harbor in the early 1960s (which added sand to the region over the short-term, but significantly interrupted sand delivery from up coast over the long-term);

Proliferation of hard structures (e.g., seawalls) that prevent bluff sand from being deposited on the beach;

Natural change to a more energetic wave climate since 1978; Reduced rates of beach nourishment since the 1960’s; and Dense urbanization in the coastal zone.”⁶

In the Moffatt & Nichol (2009) study for SANDAG, they noted the following recent SANDAG beach nourishment effort as follows:

“SANDAG performed beach nourishment from September to December 2012, including placements at Solana Beach. According to SANDAG, it is estimated that the southern Oceanside Littoral Cell needs 25 million cubic yards of sand nourishment for restoration and 320,000 of cubic yards of sand nourishment for maintenance”⁶.

B.2 Sediment Management

As described in section B.1, the Oceanside littoral has a problem inadequate sediment delivery to the coast. Using sand from offshore deposits can serve to nourish stripped sand beaches as a public benefit. The objective would be to use sediment that is presently trapped upstream or up coast, or sequestered in offshore and terrestrial sand deposits. This may be effective for offsetting existing sediment losses from the coastal zone. In addition, the removal of existing surplus sediment from impacted areas such as clogged harbor entrances, lagoon mouths, and degraded wetlands can also benefit these natural features. Moffatt & Nichol (2009), evaluated Oceanside Harbor’s northern jetty sediment transport impacts for SANDAG as follows:

“The interruption of sediment transport by Oceanside Harbor’s northern jetty has created an extensive deposit of high quality sand up coast of the jetty, representing a large potential nearshore source if SANDAG and MCB Camp Pendleton can reach agreement on the procurement of that sand. This material would have naturally migrated to the southern portion of the Oceanside littoral cell had the jetty not halted its migration. Therefore, it represents a sediment sink, and restoration of natural littoral cell dynamics could provide a large-scale source of “new” sediment for the southern littoral cell. Sediment bypassing from this fillet represents one, if not the most potentially productive contributions to the coastal sediment budget for the San Diego region. SANDAG investigated this potential source in late 2008 and found it suitable for nourishment, but concluded that additional investigation is needed to better define the highest quality portions of the deposit.” Restoration of sediment movement past the

Oceanside Harbor jetty would contribute significantly to the region's sediment budget. Bypassing of sediment from up coast of Oceanside Harbor is

recommended to increase sediment volumes along North County beaches. Oceanside Harbor jetty retains a wide sandy fillet formation extending several miles north of the jetty into MCB Camp Pendleton (DBW/ SANDAG 1994)"⁶.

The objective should be that nourishment rates at least equal loss rates. This rate should serve as the target for nourishment for future inputs to the region. Nourishment rates that exceed the loss rates should promote beach widening. Implementation of groins, breakwaters, and reefs to retain sand along the coastline should be investigated as a means to reduce the on-going need for sand nourishment. A Del Mar Sediment Management Plan will be prepared as a next step to further study and detail beach and dune nourishment as an adaptation measure.

B.3 Del Mar Shoreline Change Analysis

In Del Mar, approximately 66% of sediments in the sea cliffs have a grain size that is large enough to contribute to the beaches. Table B.2 summarizes the quantity of beach-sand-sized material, based on the grain size that contributes to the beach. These sand volumes were averaged over a 6-year time span to calculate average annual sediment volumes of beach-sand-sized materials.

TABLE B.2
AVERAGE ANNUAL ERODED VOLUMES (M³/YR) - APRIL 1998 TO APRIL 2004

Section Name	Total Eroded Sediment		Beach-Sand Content (total reduced for grain size ¹)	
	Gully	Seacliff	Gully	Seacliff
Torrey Pines	8300	26,400	3500	11,100
Del Mar	600	4900	500	3700
Solana Beach	0	8300	0	6200
Cardiff	0	5800	0	4600
Leucadia	0	5900	0	4700
Carlsbad	0	4000	0	3200
Camp Pendleton	7600	5500	4100	2900
San Onofre	16,700	57,100	11,900	40,500
Oceanside Littoral Cell	33,200	117,900	20,000	76,900
San Clemente ²	4700	7600	3800	6100
Dana Point ²	0	4500	0	3600

¹ Grain size of sediments in the sea cliffs large enough to contribute to the coastal beaches.

² The total for the Oceanside Littoral Cells excludes the San Clemente and Dana Point sections.

SOURCE: Adam P. Young and Scott A. Ashford, 2006

Table B.3. summarizes calculated south bluff retreat rates for the Del Mar area. A high percentage of the bluff erosion and retreat results from periods of substantial rainfall which tend to saturate portions of the bluffs and weaken the bluff materials to the point of failure. One can anticipate that similar magnitude of retreat rates of up to 12 ft of bluff erosion may occur in the next 20 years. Therefore, in several sections along the tracks, bluff retreat may impact the existing rails if mitigation measures are not implemented. The NCTD determined that installing soldier piles was the least environmentally damaging feasible alternative for an interim approach to track bed stabilization. Soldier piles can be considered to be underground, reinforced concrete columns. In the SANDAG Del Mar Bluffs Stabilization Project 3 (2010) submission to the CCC, SANDAG defined soldier piles as follows:

*“Soldier piles are essentially underground, reinforced concrete columns. Spacing the soldier piles along a bluff provides improved support, provided that the soldier piles are anchored in a relatively stable geological formation”.*¹⁰

TABLE B.3
HISTORICAL DEL MAR CALCULATED SOUTH BLUFF RETREAT RATE^{2,9}

Report	Years	Bluff Retreat Rate
AT&SF	1943-78	0.14 ft/yr
L&A	1978	0.22ft/yr
Benumof & Griggs	1999	0.4 to 0.6 ft/yr
FEMA	2000	< 1ft/yr




Figure B.2
Beach Width History from 1978-2015 for Monitoring Point 15




Figure B.3
 Beach Width History from 1978-2015 for Monitoring
 Point 25

The underlying structure of the beaches in most northern San Diego County is a rock platform with a very thin coating of sand and sometimes cobble. Many of the northern San Diego County beaches have very little sand depth because of sand undernourishment caused by the reductions of sand from inland sources and local geology. Figures B.2 and B.3 show the average decline in Del Mar beach width just south of the San Dieguito river mouth from two monitoring stations since 1978. As outlined by Elwany, Hany of Coastal Environments (2016) in the annual the San Dieguito Lagoon Restoration Project Report:

“A study conducted in 2010 concluded that the rate of beach width decrease is about 2.0 ft/yr to 4.5 ft/yr.”⁵

B.4 Human Alterations to the Shoreline

B.4.1 Beach Nourishment

Beach and dune nourishment is an adaptation strategy that provides protection against coastal storm erosion while maintaining the natural condition, beach habitat, and processes (such as the ability of the beach to erode in response to winter storms and build up sand in response to summer wave conditions). Beach nourishment refers to placement of sand to widen a beach, which can be accomplished by placing a sediment-water slurry directly on the beach and/or mechanical placement of sediment with construction equipment (Figure B.4). Sand can be

obtained from inland sources (e.g., sand trapped in dam reservoirs, construction projects) and can be dredged from offshore.


Dune restoration would include placement of sand, grading, and planting to form “living” back beach dunes. Dune restoration is recognized as a natural way of mitigating backshore erosion as well as maintaining a wider beach through sacrificial erosion of the dunes. Dune restoration can provide aesthetic, ecology, and recreation benefits. A variant includes placement of cobble (rounded rock), which is often naturally present as a lag deposit below beaches in California (Figure B.5). Burying a layer of cobble provides a “backstop” that is more erosion resistant and dissipates waves to a greater degree.



Del Mar Coastal Adaptation Plan / 150347

Source: SANDAG

Figure B.4
Beach Nourishment, Dune Restoration, and Cobble
Placement Illustration



Source: SANDAG

Del Mar Coastal Adaptation Plan / 150347

Figure B.5
Beach Nourishment, Dune Restoration, and Cobble Placement Illustration

TABLE B.4
BEACH AND DUNE NOURISHMENT BENEFITS AND CONSTRAINTS SUMMARY

Benefits	Constraints
Preserves beach	Limited sand sources
"Living shoreline" provides beach and dune habitat	Less effective over time with increasing sea level rise
Reduces flood and erosion risks	Transportation of sediment to receiver sites
	Short-term beach use and ecology impacts

Table B.4 summarizes benefits and constraints of beach and dune nourishment. Potential problems with beach nourishment include loss of beach use during construction and impact to beach ecology^{11,12}, which are generally considered short term negative effects. Beach nourishment can also change beach conditions (e.g., texture and slope), if and when the placed sand is different than the “native” beach sand, which typically occurs due to the difficulty in finding sand with the same grain sizes. The success of the nourishment depends on the volume of nourished material, the grain size, and the proximity or use of sand retention measures (discussed separately in the next section).

Placement of sand typically provides a temporary benefit until the sand erodes and migrates away from the placement area. It is therefore important to consider the fate of the sand and implications of deposition in other areas. In general, increased sand supply is considered beneficial to most beach areas, but can be problematic at lagoon inlets and storm drain outlets. Sand deposition on rocky substrate may also adversely affect habitat and recreation such as surfing.

Key feasibility constraints to beach nourishment and dune restoration include the availability of appropriate sand sources and the required amount and frequency of nourishment. With a certain amount or rate of sea-level rise, the amount and frequency of nourishment may make the measure

unsustainable. For the purposes of the Adaptation Plan, it is assumed that beach nourishment will be effective with up to 1 ft of sea-level rise based on the results of the Coastal Hazards, Vulnerability, and Risk Assessment and is, therefore, not included as an adaptation measure for sea-level rise above 1 ft.

Monitoring plays an important role in identifying the need for re-nourishments. Monitoring is typically focused on the annual maximum and minimum beach width and minimum dune width. The minimum dune width should provide an acceptable buffer for storm erosion (e.g., 2- to 5-year storm). At any time, beach nourishment may be required in response to erosion from a major storm event.

If beach-sized material becomes available via construction or other activity, the City will consider whether the material could be beneficially re-used on the Del Mar beach. SCE placed sand dredged from the San Dieguito Lagoon on the northern portion of North Beach in 2011 (40,000 cubic yards) and 2014 (15,000 cubic yards). Similarly, beach and dune nourishment can be combined with dredging of sediment from the San Dieguito River as a future adaptation measure to reduce river flood risks. SANDAG has conducted beach nourishment in San Diego County through the Regional Beach Sand Project. SANDAG performed beach nourishment from September to December 2012, including placements at Solana Beach. The City of Del Mar did not participate in the SANDAG Program, but could consider participating in any future nourishment to implement this adaptation measure. Additional information on regional sand management can be found via the Coastal Sediment Management Workgroup (CSMW), <http://www.dbw.ca.gov/csmw>).

According to Van Rijn *et al* (2007):

“Overall, it is concluded from field practice that shore face nourishments have an efficiency (defined as the ratio of volume increase of the nearshore zone and the initial nourishment volume) of 20% to 30% after about 3 to 5 years”⁷. This seems consistent with studies of nourishment projects in Californian which have shown that about 20% of the projects survived less than 1 year, 55% lasted only 1 to 5 years and about 20% survived over 5 years.

B.4.2 Groins

The principle objective of groins is sand retention. Groins are thin and long structures perpendicular to the shoreline extending into the surf zone. Groins typically extend slightly beyond the low water line. Groins are used to reduce the longshore currents and littoral drift in a surf zone and to retain the beach sand between the groins. Groins are used to stabilize and widen the beach or to extend the lifetime of beach fills. A groin field is a series of similar groins that may be constructed to protect a stretch of coast against erosion. Groins should be prefilled with sand upon construction, otherwise the groins will have adverse impacts when a structure-retained beach is allowed to develop with sand from the littoral system.

Van Rijn *et al* (2007) define two major types of groins, as follows:

“impermeable, high-crested structures: crest levels above +1 m above MSL (mean sea level); sheet piling or concrete structures, grouted rock and rubble-mound structures (founded on geotextiles) with a smooth cover layer of placed stones (to minimize visual intrusion) are used; these types of groins are used to keep the sand within the compartment between adjacent groins; the shoreline will be oriented perpendicular to the dominant wave direction within each compartment (saw-tooth appearance of overall shoreline);

*permeable, low-crested structures: pile groins, timber fences, concrete units, rubble-mound groins, sand-filled bags are used; permeability can increase due to storm damage; these types of groins are generally used on beaches which have slightly insufficient supplies of sand; the function of the groins is then to slightly reduce the littoral drift in the inner surf zone and to create a more regular shoreline (without saw-tooth effect); groins should act as a filter rather than as a blockade to longshore transport.”*⁷

B.4.3 Detached Breakwaters and Reefs

Breakwaters are parallel structures that are used to protect a section of the shoreline by forming a buffer or barrier to the waves. Breakwaters obstruct the wave energy. There are two major categories of breakwaters: those that are positioned above the still water level (emerged); and breakwaters below the still water level (submerged). Van Rijn *et al* (2007) define the various variants of breakwaters, as follows:

“There are many variants in the design of detached breakwaters, including single or segmented breakwaters with gaps in between, emerged (crest roughly 1 m above high water line) or submerged (crest below water surface), narrow or broad-crested, etc. Submerged breakwaters are also known as reef-type breakwaters and are attractive as they are not visible from the beach. A reef (hard or soft) is a relatively wide, submerged structure in the shallow nearshore zone”

*Submerged structures cannot stop or substantially reduce shoreline erosion (dune-cliff erosion) during storm conditions, as most of the waves will pass over structure to attack the dune or cliff front. Supplementary beach nourishments are required to deal with local storm-induced shoreline erosion (especially opposite to gaps). Down drift erosion generally is manageable as longshore transport is not completely blocked by low-crested structures. A major problem of submerged breakwaters and low-crested emerged breakwaters is the piling up of water (wave-induced setup) in the lee of the breakwaters resulting in strong longshore currents when the breakwater is constructed as a long uninterrupted structure (no gaps) or in strong rip currents through the gaps when segmented structures are present. Other disadvantages of detached breakwaters are the relatively high construction and maintenance costs, inconvenience and danger to swimmers, and small boats and aesthetic problems (visual blocking of horizon).”*⁷

B.4.4 Seawalls and Revetments

Seawalls and revetments are structures to armor the shore to protect the land behind it. They are shore-parallel structures that protect against storm-induced erosion and/or long-term chronic erosion by the sea. These structures have various shapes such as vertical, concave or sloping designs. When natural beaches can no longer prevent erosion due to high waves, seawalls are typically built along a limited section of the shoreline as a last defense line against the waves. If no other solution helps to solve the problems of erosion or flooding during high surge levels, the building of seawalls or revetments is considered to be a necessary and "end of the line" solution. Van Rijn et al (2007) define the various variants of breakwaters, as follows:

“A seawall is a vertical (or almost) retaining wall with the purpose of coastal protection against heavy wave-induced scour; it is not built to protect or stabilize the beach or shore face in front of or adjacent to the structure. Thus, chronic erosion due to gradients of longshore transport will not be stopped or reduced. A revetment is an armor protection layer (consisting of light to heavy armor layer, underlying filter layer and toe protection) on a slope to protect the adjacent upland zone against scour by current and wave action. To reduce scour by wave action and wave reflection at the toe of the structure, the slope of the revetment should be as mild as possible (not steeper than 1 to 3). The crest of the

revetments should be well above the highest storm surge level resulting in a crest level at +5 m above mean sea level along open coasts and up to +7 m at locations with extreme surge levels.

Seawalls and revetments are very effective in stopping local shoreline erosion (dunes and soft cliffs), but these types of structures hardly change the longshore transport gradient often being the basic cause of chronic erosion. Hence, erosion of the beach and shore face in front of the structure will generally remain to occur. Down drift erosion will usually occur at locations where no structures are present. Continuing shore face erosion may ultimately lead to an increased wave attack intensifying the transport capacity and hence intensified erosion (negative feedback system). Groins are often constructed to reduce scour at the toe of the revetment by deflecting nearshore currents”.⁷

Table B.5 provides a comparison of hard shoreline protection measures and their effectiveness to reduce or stop shoreline erosion and their impacts on beach width. As described by Everts Coastal (2002):

“In Southern California, the most effective shore-connected sediment-blocking structures, such as groins, are located where the bearing of the open coast shoreline is between 240 and 310-320 degrees and there is a substantial net longshore sand transport rate.”¹³ It should be noted that Del Mar’s bearing averages 348 degrees, and therefore is not optimum for groins, since the length of the groins would need to be relatively long to be effective. In summary, beach nourishment in conjunction with detached breakwaters or reefs that retain sand might warrant further investigation by the City of Del Mar.

**TABLE B.5
STRUCTURE SUMMARY**

Type of Structure	Effectiveness		
	Reduce shoreline erosion	Stop shoreline erosion	Beach width
Seawall Revetment	yes	yes	none or very small
Groins	yes, especially at beaches of relatively coarse sediment	no, dune and cliff erosion will continue during major storms with high water levels	wider for narrower cells; smaller and saw tooth effect for wider cells
T-head Groins	yes, especially at very exposed, eroding beaches of fine sand	no, dune and cliff erosion will continue during major storms with high water levels	medium wide
Submerged detached breakwater/reef	yes, but minor	no, dune and cliff erosion will continue during major storms with high water levels	small
Emerged breakwater (low crested)	yes at lee side	no, dune and cliff erosion will continue during major storms with high water levels	medium to wide at lee side
Emerged breakwater (high crested)	yes at lee side	no, dune and cliff erosion will continue during major storms with high water levels	medium to wide at lee side

References

- Patsch, Kiki, and Gary Griggs. *Development of Sand Budgets for California's Major Littoral Cells*. Institute of Marine Sciences, University of California, Santa Cruz, California Department of Boating and Waterways, California Coastal Sediment Management Workgroup, Jan. 2007.
- Leighton and Associates, Inc. *Del Mar Bluffs Geotechnical Study, Part 1. Geotechnical Evaluation, Volume 1*, North County Transit District, 2001.
- Scott, Alan, and Jane E. Smith. *Shoreline Protective Structures*. Staff Report to the California State Lands Commission, Apr. 2001.
- Young, Adam P., and Scott A. Ashford. *Application of Airborne LIDAR for Seacliff Volumetric Change and Beach-Sediment Budget Contributions*. Journal of Coastal Research, Mar. 2006., 22:307-318.
- Elwany, Hany of Coastal Environments. *San Dieguito Lagoon Restoration Project, 2015 Beach Data Annual Report, City of Del Mar, California*. Southern California Edison, February 5, 2016.
- Moffatt & Nichol, *Coastal Regional Sediment Management Plan for The San Diego Region*, SANDAG and California Coastal Sediment Management Workgroup, Mar. 2009.

- Van Rijn, Leo. *Coastal erosion control based on the concept of sediment cells*. Concepts and Science for Coastal Erosion, Conscience for the European Commission, Contract 044122 - D13a, Jan. 2010.
- Adam P. Young, Jessica H. Raymond, John Sorenson, Elizabeth A. Johnstone, Neal W. Driscoll, Reinhard E. Flick, and Robert T. Guza, *Coarse Sediment Yields from Seacliff Erosion in the Oceanside Littoral Cell*, **Journal of Coastal**, May 2010, Volume 26, Issue 3, pg(s) 580-585.
- Hapke, C.J., and Reid, D., 2007, *National Assessment of Shoreline Change, Part 4. Historical Coastal Cliff Retreat along the California Coast*, U.S. Geological Survey Open-file Report 2007-1133
- CC-020-10, SANDAG, Del Mar Bluffs Stabilization Project 3.
- Charles H. Peterson and Melanie Bishop. *Assessing the Environmental Impacts of Beach Nourishment*, BioScience, Volume 55, Issue 10, 1 October 2005, Pages 887– 896.
- Schlacher TA, Thompson L. *Beach recreation impacts benthic invertebrates on ocean-exposed sandy shores*. Biological Conservation. 2012;147:123–32.
- Everts Coastal. *Impact of Sand Retention Structures on Southern and Central California Beaches*. California Coastal Conservancy, June 2002. CCC Contract Number: 00-149.

APPENDIX C

STAC's Managed Retreat Memo

From: The Sea Level Rise Technical Advisory Committee

To: City of Del Mar Council

Members

Date: January 25, 2018

Managed Retreat in Del Mar

The Sea Level Rise Adaptation Plan aims to keep risks related to sea-level-rise within acceptable limits. The planning process identified vulnerabilities in the City of Del Mar, considered strategies to limit risks, and evaluated the feasibility and application of those strategies within the context of Del Mar. Following Coastal Commission guidance, adaptation options fall into three categories. They can **protect** property, for example, through improved sea walls, levees, beach replenishment, or river channel dredging. They can **accommodate** changes due to sea level rise, for example, by raising structures or adding sediment to wetlands to maintain vegetation elevations. The third category of adaptation options involves **managed retreat** and became the focus of much debate, discussion, and deliberation. Adaptation through managed retreat allows wetlands to migrate and expand; relocates public infrastructure, including, for example, roads, utilities, sewers, storm drains, fiber optic cables, and railroad equipment; and creates incentives to remove or relocate private property when extreme risks arise.

As STAC deliberated and received communications from the citizens of Del Mar, managed retreat through wetland migration and expansion never raised issues. Del Mar values the San Dieguito River and river-mouth, its associated wetlands, its beaches, and its bluffs as important natural resources. Protecting these resources and ensuring access emerged as a high priority. Likewise, managed retreat through relocation of public infrastructure was accepted. Public buildings at risk include the fire station, public works, the sewer lift station and park facilities. Other vulnerable public infrastructure provides essential services to citizens and access to beaches, bluffs, and lagoon for public benefit and enjoyment. They include sewage management, internet access, storm drainage, transportation and parking, lifeguard stations, and public safety equipment. *The Adaptation Plan includes options at all levels for Del Mar's shared vulnerable resources.*

In contrast, managed retreat as an adaptation strategy for private property emerged as contentious and fraught with economic, legal, societal, and multi-faceted financial impacts, as well as physical constraints. *This Memo aims to review and summarize two and a half years of structured discussion among STAC members and citizens of Del Mar regarding managed retreat as applied to private property.*

California Coastal Commission guidance is lacking on retreat in urbanized beachfront

Sea level rise adaptation strategies aim to manage risks to Del Mar's public and private property, natural resources, infrastructure and assets. Consideration of managed retreat as an adaptation strategy involved a wide range of perspectives, a high level of emotional response, and fundamental disagreement over whether and how to include "managed retreat" in the Adaptation Plan as an adaptation strategy.

The California Coastal Commission guidance on managed retreat discusses retreat as an approach to allow shorelines to migrate inland. In Del Mar, this view of managed retreat is insufficient as guidance for planning for amending the LCP, especially in light of Del Mar's topography. Landward migration could eliminate rather than relocate the sandy beach and the public access to it (which is in direct conflict with the policy of enhancing public beach access). The City of Del Mar includes over two miles of high density, urbanized beachfront, both at beach level and atop ocean bluff. Residents and visitors have unfettered access to broad beaches. Del Mar's beaches, beachgoers, and over 600 beach-level homes would be negatively impacted by managed retreat. There is concern that landward migration of the shoreline could mean that wetlands and river-mouth will replace the public benefit of a well-used and walkable beach, a residential community, an urban environment with businesses, restaurants, a motel, parks, and a community center, and associated roads and public infrastructure.

While the California Coastal Commission guidance emphasizes "prioritizing natural infrastructure", it lacks discussion and analysis on retreat in an urbanized context. Expanded guidance is needed to consider how managed retreat may or may not be a viable adaptation strategy in Del Mar specifically, and more generally, in urbanized shorelines or in areas where there is no contiguous open space for the shoreline to migrate inland and connect to. Without balanced and informed guidance on retreat in urbanized, medium-density beachfront areas, local groups must apply common sense and values when considering retreat. In short, existing guidance prioritizes natural infrastructure without addressing the economic and legal impacts of replacing private property with wetlands and beaches and introducing substantial new risk of flooding to adjacent private properties and public infrastructure. The guidance documents lack adaptation examples applicable to Del Mar's established beachfront neighborhoods. The documents defer to a jurisdiction's risk tolerance and lack discussion of how to apply managed retreat to urbanized beachfront via the Local Coastal Program Amendment process.

STAC consideration of managed retreat in Del Mar

In Del Mar's sea level rise policy planning process, managed retreat for private property was the most controversial issue that the STAC committee evaluated and debated. The committee has been and continues to be divided on this issue. In the first year of deliberations, managed retreat was included in the STAC's draft Sea Level Rise Adaptation Plan as an option for all regions (wetlands, river, bluffs and beaches). In the second year, STAC evaluated the impacts and implications of managed retreat to each area and realized that for Del Mar, managed retreat of

private property had profound economic, societal, and legal implications, and could, in fact, increase risks rather than limit them. STAC decided to exclude private property managed retreat completely in its final version of the document.

Foundations of STAC's position on managed retreat

STAC's position on managed retreat for private property resulted from discussion, debate, and evaluation of the following factors:

1. The voter approved Beach Protection Initiative (BPI) and certified City of Del Mar Local Coastal Program allow seawalls in the beachfront region from 15th St. north to the river-mouth.
2. Vocal and committed community engagement on private property managed retreat clarified that it will impose significant costs to Del Mar. For example, the inclusion now of private property managed retreat strategies will increase market uncertainty and potentially reduce land values at a time when much remains unknown regarding how SLR will evolve over the short and long term.
3. Approaches to managing coastal erosion have different distributions of benefits and costs to community at local and regional levels. Hard engineering options (*e.g.*, sea walls) may protect community or private assets but the beach in front of the structure has potential to erode and result in loss of beach. In such a case, beach amenity and use for locals and visitors are lost in favor of protecting homes and or infrastructure; and significant downstream impacts (*e.g.*, loss of tourism industry) may also occur.
4. The committee determined that the City of Del Mar would benefit from a better understanding of the future implications of seawalls in North Beach. Further, the City would benefit from investigating all possible adaptation options that have potential both to maintain the beach and to protect property before starting to consider private property managed retreat strategies.
5. Success of hard and soft engineering options is highly dependent on the nature of the physical environment, the affordability of the mitigation measures and successfully negotiating an outcome that reconciles different contending interests. Some managed retreat actions may well emerge as a component of other adaptations as balanced, well-considered projects are planned.
6. There was discussion within the committee that managed retreat should be considered only as a last resort after all other adaptation strategies have been fully evaluated and determined not to be viable, and is not an appropriate adaptation strategy for Del Mar.
7. The third goal in the California Coastal Act needs to be more fully understood. It specifies that decisions impacting the California Coast must be made to: "Maximize public access to and along the coast and maximize public recreational opportunities in the coastal zone consistent with sound resource conservation principles and constitutionally protected rights of private owners."

Next steps

The challenge for the Planning Commission and the City Council in developing coastal policy over the next decade will be to design and implement institutional arrangements that prevent and/or resolve legal, financial, engineering and social conflicts in coastal locations threatened by accelerated Sea Level Rise. Many government agencies and key stakeholders argue that there is a need to mitigate the risks of SLR by modifying the coastal urban planning framework. However, strong evidence indicates that risk mitigation policies that are unpopular and socially divisive in the shorter term will not be accepted over the long term. In general, policies designed to manage long term risks tend to be controversial. Therefore, community involvement will continue to be central to the success of strategies for gaining public acceptance of schemes designed to reduce long-term risks.

Finally, the public should be engaged in deciding how to manage the long-term risks of SLR and in determining the actions to be undertaken under various SLR scenarios. While public engagement is time consuming and expensive, it is important for policy makers to understand and respond to community concerns, match policy to community needs wherever possible, and give the community a greater sense of ownership over the design and implementation of new policy. It is critically important that the Planning Commission and the City Council make the best possible decisions for the Del Mar community they serve while not negatively impacting public access to the beach. Both the Planning Commission and the City Council must define a process to understand the concerns of various constituents and engage in dialogue with the community.

Range of positions on managed retreat

STAC MEMBER, Surfrider Foundation Representative – K. Brinner

Address managed retreat now.

We need to face the issue of Sea Level Rise head on, now, proactively. By removing managed retreat as an adaptation option from the Adaptation Study, we have removed what might be our only option once seas have risen above a certain level. When this will occur, no one knows. Originally we tied the managed retreat option to the amount of sea level rise, frequency of coastal flooding, and the loss of a walkable beach. By coupling retreat to these triggers, we were not saying when retreat might be necessary. We were simply reinforcing two of the STAC's guiding principles: maintaining a walkable beach and reducing flood risk. Without retreat as an option, we have abandoned these guiding principle. Under the high SLR scenario, beaches in Del Mar will be lost if the back of the beach is fixed by sea walls. Low-lying areas in North Beach will be continually flooded by storm and high-wave events. No amount of sand replenishment, sand retention devices, or even the complete restoration of natural sand supply through returning rivers to their undammed state will be able to prevent beach loss and flooding if the beaches are not allowed to move inland in face of rising tides. How to compensate private property owners and how to manage the process of retreat are important questions that will take years, possibly decades to work out. We need to start that conversation now. By removing retreat as an option, we are deciding against starting this difficult conversation. By removing retreat as an option, we

will be forced to react quickly, without as much time to examine the financial, legal, and social issues associated with managed retreat. Decisions are better made with time and information; by removing retreat as an option, we may be forced to make decisions quickly, without all of the needed information, and our options will be more limited.

The entire STAC voted overwhelmingly in support of these guiding principles. These guiding principles were not made in isolation - they are supported by the California Coastal Act and the Del Mar Community Plan. The public has an inherent right of access to and along all beaches and shorelines. We have not acted in the beach-going public's or the community of Del Mar's best interests by removing retreat as an adaptation option. The beaches are a public trust, and belong to every Californian. Without retreat as an option, we are abandoning our beaches in interest of the protection of private property, contrary to the laws and guidelines of Del Mar and the state of California.

STAC MEMBER, Beach Resident – Robin Crabtree

Public beach access depends on protection and accommodation.

Sea Level Rise is an environmental change that all beach goers and Del Mar residents will need to adapt to any changes that occur. We do not know exactly how much sea level will rise and when it will occur or how soon. With this Adaptation Plan, Del Mar will now gather monthly and yearly data in order to identify any changes. As changes occur, it will be important that adaptation options are thoroughly reviewed including any new options being used nationally and internationally. One example to monitor is the research of the effectiveness of different shapes of seawalls in Japan.

STAC has acted in the interest of both the beach-going public and the Del Mar residents. A walkable beach is a high priority with our residents and visitors! STAC with Del Mar resident input reviewed the option of managed retreat of private property and together most believe it is not appropriate at this time. There are so many options to be reviewed and utilized before any discussion ever needs to take place regarding managed retreat of private property. There are over 600 homes in the Del Mar beach community with the homes along the beach behind sea walls at about 13 feet above sea level. East of the beach, the homes and properties decrease to eventually 3 feet above sea level before reaching the railroad tracks. In addition, within the beach community, over 800 public parking spaces allow public access to the beach. If the homes are gone, the parking is gone, beach access is gone and now the visitors and residents are gone! Where is the walkable beach?

Before any discussion of managed retreat of private property begins, an engineering evaluation of the beach community and managed retreat needs to be completed. I direct you to the technical paper titled "The Practicality of Managed Retreat" written by expert Walter Crampton.

Therefore, managed retreat of private property is not an appropriate adaptation option to be included in this Del Mar plan.

STAC MEMBER, Beach Resident – Kim Fletcher**Managed retreat is not suitable for Del Mar's North Beach.**

I am more convinced now than when I first attended a STAC meeting, that Managed Retreat is not suitable for the Del Mar North Beach - 600 residents could be victimized by waves and flooding. The economic loss to the City of Del Mar and private homeowners would be disastrous.

We should exhaust all possible alternatives first; such as Sand Retention and

Replenishment, as well as Groins, proper regulating the tide flow of the San Dieguito River.

I have been on the Del Mar Beach my entire life and permanently for 28 years. We lost most of our sand in the period from the late 70's to early 80's. Since then the loss has been much less. Let's not rush into Managed Retreat until we have more facts.

STAC MEMBER, Bluff Resident, Committee Chair – Terry Gaasterland**Managed retreat applies differently across Del Mar's diverse regions.**

Protecting our natural resources in Del Mar – our beaches, our wetlands, our bluffs – is a top priority and drove much of STAC's deliberation. Del Mar's natural resources include a wide sandy beach ranging from urbanized oceanfront to high bluffs fronted by broad sand and reefs that make waves ideal for surfing. Del Mar residents and visitors enjoy running and walking on the beach, spending hours on a sunny day near the surf with towels, picnics, and happy children at play. Surfers from far and wide join the local surf crowds at 8th St, 11th St, and 15th St and on down to the river-mouth. Beach enjoyment happens year-round, in all months. On nearly every day of the year, runners and walkers can continue for nearly 3 miles from lagoon to lagoon – albeit at low tide only when winter storms have washed the beach sand into the offshore reefs.

This beach resource, complemented by Del Mar's canyon paths and wetland overlooks, comprises Del Mar's most important asset. It draws newcomers and visitors and adds great value to homes and businesses. It must be protected, nourished, and cared for with highest priority as sea level rise planning moves forward.

Del Mar's STAC studied the many adaptation options identified throughout California as the state and other localities evaluated vulnerabilities and how to minimize them. STAC has drafted this Adaptation Plan to minimize risks in all areas of Del Mar. Protection and accommodation options will be the most important while sea level rise remains steady and slow. STAC regarded managed retreat as wise for some areas, including the lagoon wetlands and the bluff tops. However, STAC recognized, with much community input, that managed retreat in the oceanfront area of North Beach has complexities and implications that go far beyond the guidance received from the State. Specifically, STAC came to understand that managed retreat in the beach-level communities means losing beach access, putting sea-level (or below) homes to the east at greater risk, and loss of property, infrastructure, and resources.

In short, STAC could see clearly how managed retreat options can be applied in wetlands and bluffs, but could not come to census or develop a clear view of how managed retreat options could apply in the urbanized oceanfront areas without introducing new vulnerabilities, loss, and risk. Many other options to protect and accommodate have yet to be explored in detail. Many are promising and have potential to maintain Del Mar's natural resources in much their current state for many decades to come. Thus, STAC decided – in a vote that involved all members, after much community input – it is premature to include managed retreat for private property in the current STAC draft Adaptation Plan.

STAC MEMBER, Bluff Resident, Committee Secretary – Mark Handzel

Private property managed retreat is a complicated issue that the voters of California should decide.

Classic Free Rider Problem of Sea level Rise: Sea-level rise is by definition a phenomenon that affects every California coastal community as a result of CO₂ emissions. When it comes to reducing carbon emissions there is a classic free rider problem. The free rider problem is a market failure that occurs when people take advantage of being able to use a common resource, or collective good, without paying for it, as is the case when citizens of a country utilize public goods without paying their fair share in taxes. Coastal communities would benefit from lower emissions by relying on the public to make sacrifices and reduce their pollution levels. Sea-level rise is to a large extent caused by externalities. When you drive an SUV, the contribution to climate change and sea-level rise is an external cost which you don't experience personally. Free markets are notoriously bad at including external costs in prices. The consequence is that there is over-consumption of goods which pollute and cause sea level rise. In theory, economics has a solution to the problem of externalities. If you can work out the external cost of driving an SUV, you can place a suitable tax to make people pay the social cost and reduce demand to the socially efficient level. The difficulty is working out and then agreeing on a suitable external cost. If the real cost of climate change and sea level rise is as high as current science indicates, it would suggest carbon emitting vehicles are seriously undertaxed and the social cost of carbon emissions is much higher than current legislation suggests. The difficulty then also becomes convincing the general public that due to the external costs of pollution there is a need to establish a carbon tax to acquire private property via managed retreat.

Consideration of private property managed retreat is premature and requires additional local and state guidance: As a result of the free rider problem, it is clear that a private property managed retreat policy will impose the most significant and unfair costs on affected coastal communities. Another problem with sea-level rise is that there is tremendous uncertainty about the future costs of sea-level rise. The imposition of private property managed retreat strategies for pre-existing communities will certainly increase market uncertainty and reduce land values. Local communities should adopt voter-approved initiatives similar to New Zealand, where the Queensland Sustainable Planning Act requires local councils to compensate owners when a planning decision reduces property values (section 704). Thus, local communities need to resist private property managed retreat strategies until a dedicated statewide funding source is created. It is recommended that a dedicated State of California funding source, such as a carbon tax, for

fair market land acquisition be established before private property managed retreat is required in any community plan. A voter proposition on the California ballot would be the best way for California to determine if the public values their beaches enough to impose a carbon tax. If the California people do value their beaches, then they should be more than willing to impose a state-wide carbon tax to implement private property managed retreat. In summary, private property managed retreat is a complicated issue that the voters of California should decide.

STAC MEMBER, Beach Resident, Committee Vice Chair– John Imperato

Managed Retreat is a “Last Resort”

Option Managed Retreat results in loss of public beach

access:

Consequences of designating Del Mar’s North Beach as a Managed Retreat (“MR”) zone are immediate and significant and should be weighed against any possible benefits of MR.

North Beach residents have been vocal in their opposition to the inclusion of Managed Retreat in Del Mar’s Sea Level Rise Adaptation Plan. Proponents of Managed Retreat see this option as “essential to securing beach access” in view of predicted sea level rise. Furthering the dialog between these opposing viewpoints requires questioning the presumed nexus between managed retreat and beach access. This was done in the untelevised STAC meeting in November 2017 and the answer was that due to topology of North Beach, Managed Retreat would revert the beach into a wetland with no remaining beach access.

Experts posit that removing the sea walls, or not repairing breached sea walls under the MR scenario, would cause the shoreline to meander and ultimately move inland in an easterly direction. This would merge the shoreline with the river wetlands, turning the North Beach area into a low-lying wetland. There would be no accessible beach with this dynamic migrating shoreline. Accordingly, the mantra “Managed Retreat must be included in the toolkit because it will provide public beach access” repeated by proponents of Managed Retreat is neither accurate nor productive. In fact, no examples or explanations illustrating how Managed Retreat would improve beach access have been presented proponents of Managed Retreat. Under a Managed Retreat scenario, beach access is forfeited to the wetlands. Stated another way, once the beach walls are compromised under Managed Retreat, beach access will ultimately be eliminated.

In distinct contrast, Del Mar’s North Beach currently provides public access and free parking at every street end, which makes Del Mar a shining star for beach access among all of California’s beach towns. This beach access can be preserved through the other adaptation options presented.

Designating North Beach for Managed Retreat would have an immediate impact on Del Mar. Property values would drop and property owners in North Beach would likely petition for property tax reductions. Increased disclosure requirements of the Managed Retreat designation would encumber real estate transactions, and reluctance of commercial lenders to lend into North Beach under current lending practices would bias North Beach into a “cash only” economy. This would destroy the economic diversity of the North Beach and make North Beach only available

to cash buyers. North Beach would have a hard time absorbing the negative impact of a Managed Retreat zone designation.

Because Managed Retreat results in lost beach access and losses to private property, this adaptation option, if included in the proposal by Del Mar's City Council, should be presented as the last resort it really is. Managed Retreat is an "all lose" scenario.

Managed Retreat Cannot be Justified as a Preferred "Natural" Option:

Del Mar currently has a serious problem that exists independent of sea level rise - the upland San Dieguito watershed above and below the Lake Hodges Dam, which provided over seventy percent of the natural sand replenishment for Del Mar has been severely compromised by development. The jetty construction at Oceanside Harbor has further starved the nature beach replenishment mechanism. The California Coastal Commission preference of Managed Retreat as a "more natural option" at this point in the development cycle cannot be justified in view of the past wholesale destruction of the natural replenishment mechanisms that will only be amplified by sea level rise. The Coastal Commission cannot justify rejecting Del Mar's modified LCP on the grounds that it fails to include a Managed Retreat option solely because it Managed Retreat a "more natural approach". Managed Retreat must be considered in the face of the lost beach access and negatively impacted private property values that would result.

STAC MEMBER – Beach Resident, Nancy Stoke, 40 year resident of Coast Blvd.

Retreat strategies are not appropriate for Del Mar

In the North Beach area of Del Mar there are just under 600 residences that would be directly and immediately impacted by the inclusion of a retreat strategy. Due to the topography of the North Beach area, the highest part of the neighborhood is the line of homes on the sand that are protected by individually financed sea walls. Removal of those sea walls will impact the beach-visiting public and every home in the North Beach area, as those behind the front row are all at lower elevation and the entire neighborhood will become a wetlands and will not remain a walkable beach.

It is impossible to find a public benefit in the removal of homes that are in the most densely populated area of the city and provide housing for those of the lowest economic level. The North Beach area is also the most visitor-serving area of Del Mar; it has over 800 public parking spaces and is one of few places in the region that has public access to the beach at every block between 15th St and 29th St and public restrooms/showers at the lifeguard towers in multiple locations.

From an economic standpoint, the homes on the sand generate the most property tax revenue for the city; the city would have a difficult time replacing that revenue and still providing required services. And if designated and zoned for retreat now the homes in

the neighborhood will be unable to obtain financing, home sales will have to be cash-only transactions, and property values and resulting property tax revenues will be negatively impacted.

CA Hwy 1 and the major railway run through the middle of the North Beach area. It could be rebuilt to be elevated above the wetlands that would exist if the homes were removed. That would do nothing to serve public access to a walkable beach, as there would be no walkable beach.

The Fairgrounds is an important public asset that generates significant revenue for the State and the region; it provides a wide variety of cultural and recreational activities and is the home of one of the most highly recognized and awarded County Fairs. Again during the recent firestorms the Fairgrounds has proven to be an invaluable treasure as an evacuation site during times of regional emergency. A managed retreat strategy is not appropriate for the Fairgrounds; its many public uses must be protected and maintained.

We live among the most renowned climate and oceanographic scientists in the world. Surely there will be new ways to combine a walkable beach with sea level rise without resorting to retreat and total loss of the public beach that so many love and use on a regular basis. It was only 30 years ago that cellular phones had to be hard-wired into vehicles. Surely there will be something new that doesn't exist today that will allow Del Mar to manage sea level rise with tools other than retreat. Retreat may be an acceptable strategy for other areas of the CA coast that are not highly populated and are of a different topography. Retreat is not an appropriate strategy for Del Mar.